GenFollower

E series tips



5 Racks per Pack Available!

We open to new ideas ！

Catalog 2025 V1.0

GenFollower.com

Add: Eastern industrial park, Baiguan street, Shangyu district,
Shaoxing city, Zhejiang province, China
Web: www.GenFollower.com
Email: GenFollower@GenFollower.com

Tel: +86-575-8293-6953
Fax: +86-575-8203-2762

SHAOXING GENFOLLOWER BIOTECH CO.,LTD.

CONTENTS

G2 PCR Plates 01

Sealing Films and Foils 03

G2 PCR Strips 05

PCR Tubes 07







E Series Pipette Tips 08

E Series Pipette Tips Refill System 13

Empty Pipette Tip Racks 15

Single Wafer Refill Pack 17









Large Volume Pipette Tips 18

Reagent Reservoirs 24

Wide Bore Pipette Tips 28

Gel-Loading Pipette Tips 29









CONTENTS

LTS-Compatible Pipette Tips 30

Robotic Tips 34

Syringe Filters 43

Deep Well Plates 44









Tip Combs 47

Sealing Mats 48

ELISA Plates 50

Centrifuge Tubes 55









Micro Centrifuge Tubes 56

Racks For Tubes & Vials 61

Petri Dishes 65

Screw Cap Culture Tubes 66










CONTENTS

Cell Scrapers & Lifters 68

Cell Spreaders 70

Inoculating Loops & Needles 71

Serological Pipettes 72




Pasteur Pipettes 74

Screw Cap Micro Tubes 75

Cryo Tubes 79

Cryo Racks 83



Spin Columns 84

Laboratory Equipment 85



WE OPEN TO NEW IDEAS!

www.GenFollower.com

GENFOLLOWER BIOTECH CO., LTD.

G2 PCR Plates

• The G2 PCR consumables is the latest version of our PCR plastics. It stands for best level of us on injection molds.


• To ensure the result of your researchers, we tested more than 30 kinds of polypropylene, and chose the best one, the special polypropylene could help to fit blocks of cyclers from both PCR and (q)PCR.

Plates

A384FS-004N




A384FS-004W




B96NS-01N




B96NS-01W



B96NS-02N




B96NS-02W




ET96NSN-02PF




B96HS-01N




B96HS-01W




B96HS-02N



B96HS-02W




A96WS-02N



A96WS-02W



A96WS-02PN



T96HS-02N



S96NS-02PN



Full-plate PCR caps

PCR-S96GC



Plates

Size	Type	Color	Cat.#	Quantity per Case	Size / Case (CM)			Weight / Case(Kg)
					L	W	H	
30uL	Full-skirted	Nature	A384FS-004N	10 Boxes (15 PCS/Box, 10 Boxes/Case)	50	42	18	5.1
30uL	Full-skirted	White	A384FS-004W	10 Boxes (15 PCS/Box, 10 Boxes/Case)	50	42	18	5.2
0.1mL	Non-skirted	Nature	B96NS-01N	10 Boxes (15 PCS/Box, 10 Boxes/Case)	50	42	18	3.4
0.1mL	Non-skirted	White	B96NS-01W	10 Boxes (15 PCS/Box, 10 Boxes/Case)	50	42	18	3.4
0.2mL	Non-skirted	Nature	B96NS-02N	10 Boxes (15 PCS/Box, 10 Boxes/Case)	50	42	18	3.6
0.2mL	Non-skirted	White	B96NS-02W	10 Boxes (15 PCS/Box, 10 Boxes/Case)	50	42	18	3.6
0.2mL, Eppendorf style	Non-skirted	Nature	ET96NSN-02PF	10 Boxes (10 PCS/Box, 10 Boxes/Case)	47	30	17	4.1
0.1mL	Semi-skirted	Nature	B96HS-01N	10 Boxes (15 PCS/Box, 10 Boxes/Case)	50	42	18	3.4
0.1mL	Semi-skirted	White	B96HS-01W	10 Boxes (15 PCS/Box, 10 Boxes/Case)	50	42	18	3.4
0.2mL, cuttable	Semi-skirted	Nature	B96HS-02N	10 Boxes (15 PCS/Box, 10 Boxes/Case)	50	42	18	3.6
0.2mL, cuttable	Semi-skirted	White	B96HS-02W	10 Boxes (15 PCS/Box, 10 Boxes/Case)	50	42	18	3.6
0.2mL	Semi-skirted	Nature	A96WS-02N	10 Boxes (15 PCS/Box, 10 Boxes/Case)	50	42	18	4.5
0.2mL	Semi-skirted	White	A96WS-02W	10 Boxes (15 PCS/Box, 10 Boxes/Case)	50	42	18	4.8
0.2mL	Semi-skirted	Nature	A96WS-02PN	10 Boxes (15 PCS/Box, 10 Boxes/Case)	50	42	18	4.8
0.2mL, raised side	Semi-skirted	Nature	T96HS-02N	10 Boxes (15 PCS/Box, 10 Boxes/Case)	50	42	18	4.8
0.2mL, cuttable	Non-skirted	Nature	S96NS-02PN	10 Boxes (10 PCS/Box, 10 Boxes/Case)	47	30	17	2.5

Full-plate PCR caps

Type	Cap Numbers	Cat.#	Quantity per Case	Size / Case (CM)			Weight / Case(Kg)
				L	W	H	
Optical, cuttable	96 well	PCR-S96GC	10 Boxes (10 PCS/box, 10 Boxes/Case)	47	30	17	1.2

- We would like to let you know our G2 PCR Plates and Strips are produced base on top quality standard.
- Now they could work up to 97% of current PCR machines around the world.
- Every plate is produced in the 100,000 level dust clean workshop, so it's DNase and RNase free, No human DNA, Non-pyrogenic.
- The improved polypropylene made the well transparent for easy observation. Especially, uniform thin wall to 0.30mm for optimal heat transfer.
- 3 Types: Non-skirted, Semi-skirted and Full-skirted.



Sealing Films and Foils

QPCR96F-1

QPCR96F

PCR96F

AF00001



PF00006



AF00011



AF00004



AF00005



AF00006, AF00013, AF00014



AF00007, AF00015, AF00016



PF00007, PF00017, PF00018




PF00010, PF00019, PF00020

PF00004

PF00008

AF00002




Please kindly note For more details of the application, please visit the product page at https://www.genfollower.com/pcr-sealing-films-and-foils/.

Sealing films for plates


Type	Uses	Material	Cat.#	Dimension	Qty/Case	Size/Case (CM) L	M	H	Weight/ Case (Kg)
Pressure-sensitive film, high transparent, with perforated lines	for qPCR	Polyester resin	QPCR96F-1	141.5mm × 77mm	100 PCS/Box	16	9	3	0.2
Pressure-sensitive film, high transparent	for qPCR	Polyester resin	QPCR96F	118mm × 80mm	100 PCS/Box	16	9	3	0.2
Self-adhesive film, common	for PCR	Polyester resin	PCR96F	141.5mm × 77mm	100 PCS/Box	16	9	3	0.2
Self-adhesive foil	for PCR	Aluminum	AF00001	138mm × 80mm	100 PCS/Box	16	9	3	0.3
BioRad style self-adhesive film	for qPCR	PET	PF00006	137mm × 81mm	100 PCS/Box	16	9	3	0.365
VWR style self-adhesive foil, pierceable	for PCR	Aluminum	AF00011	129mm × 78mm	100 PCS/Box	16	9	3	0.22
25um Vitl style heat-sealing foil, pierceable	for PCR	Aluminum	AF00004	125mm × 80mm	100 PCS/Box	16	9	3	0.154
35um Vitl style heat-sealing foil, pierceable	for PCR	Aluminum	AF00005	125mm × 80mm	100 PCS/Box	16	9	3	0.179
25um 4titude style heat-sealing foil, pierceable	for PCR	Aluminum	AF00006	125mm × 80mm	100 Sheets/Box	16	9	3	0.154
25um 4titude style heat-sealing foil, pierceable	for PCR	Aluminum	AF00013	300m × 80mm	1 Roll/Case	19	19	14.5	2
25um 4titude style heat-sealing foil, pierceable	for PCR	Aluminum	AF00014	300m × 115mm	1 Roll/Case	19	19	14.5	2.9
35um 4titude style heat-sealing foil, pierceable	for PCR	Aluminum	AF00007	125mm × 80mm	100 Sheets/Box	16	9	3	0.179
35um 4titude style heat-sealing foil, pierceable	for PCR	Aluminum	AF00015	300m × 80mm	1 Roll/Case	19	19	14.5	2.6
35um 4titude style heat-sealing foil, pierceable	for PCR	Aluminum	AF00016	300m × 115mm	1 Roll/Case	19	19	14.5	3.7
4titude style heat-sealing film	for qPCR	PET	PF00007	125mm × 80mm	100 Sheets/Box	16	9	3.1	0.228
4titude style heat-sealing film	for qPCR	PET	PF00017	300m × 80mm	1 Roll/Case	28.3	28.3	14.5	3.37
4titude style heat-sealing film	for qPCR	PET	PF00018	300m × 115mm	1 Roll/Case	28.3	28.3	14.5	4.9
4titude style heat-sealing film, breathable	for cell culture	Paper	PF00010	125mm × 80mm	100 Sheets/Box	16	9	3.1	0.089
4titude style heat-sealing film, breathable	for cell culture	Paper	PF00019	300m × 80mm	1 Roll/Case	28.3	28.3	14.5	1.5
4titude style heat-sealing film, breathable	for cell culture	Paper	PF00020	300m × 115mm	1 Roll/Case	28.3	28.3	14.5	2.2
Axygen style self-adhesive film	for qPCR	BOPP	PF00004	136mm × 80mm	100 PCS/Box	16	9	3.1	0.279
Axygen style self-adhesive film, breathable	for cell culture	Non-woven fabric	PF00008	142mm × 83mm	100 PCS/Box	16	9	3.1	0.346
Heat-sealing foil, cuttable (compatible with cuttable PCR plate)	for PCR	Aluminum	AF00002	132mm × 81mm	100 PCS/Box	16.4	9.3	3	0.308

GenFollower®

G2 PCR Strips







PCR Tube Strips with Caps


Type	Color	Tube Numbers	Cat.#	Quantity per Case	Size / Case (CM) L	W	H	Weight / Case(Kg)
0.2mL, Regular profile, Simport Style	Nature	8 tubes	PCR8WC-02N	125 PCS/Box, 10 Boxes/Case	43	30.5	28	3.2
0.2mL, Regular profile, Thermo Fisher Style	Nature	8 tubes	PCR8WC-02TN	125 PCS/Box, 10 Boxes/Case	50	42	18	3.4
0.2mL, Regular profile, no handle	Nature	8 tubes	PCR8WC-02BN	125 PCS/Box, 10 Boxes/Case	50	42	18	3.35


PCR Tube Strips

Type	Color	Tube Numbers	Cat.#	Quantity per Case	Size / Case (CM) L	W	H	Weight / Case(Kg)
0.2mL, Regular profile	Nature	8 tubes	B8RT-02N	125 PCS/Box, 10 Boxes/Case	50	42	18	2.2
0.2mL, Regular profile	White	8 tubes	B8RT-02W	125 PCS/Box, 10 Boxes/Case	50	42	18	2.2
0.1mL / 0.2mL, Low profile	Nature	8 tubes	B8LT-01N	125 PCS/Box, 10 Boxes/Case	50	42	18	2.65
0.1mL / 0.2mL, Low profile	White	8 tubes	B8LT-01W	125 PCS/Box, 10 Boxes/Case	50	42	18	2.65
0.2mL, Regular profile	Nature	12 tubes	B12RT-02N	125 PCS/Box, 10 Boxes/Case	50	42	18	2.7
0.2mL, Regular profile	White	12 tubes	B12RT-02W	125 PCS/Box, 10 Boxes/Case	50	42	18	2.7
0.1mL / 0.2mL, Low profile	Nature	12 tubes	B12LT-01N	125 PCS/Box, 10 Boxes/Case	50	42	18	2.6
0.1mL / 0.2mL, Low profile	White	12 tubes	B12LT-01W	125 PCS/Box, 10 Boxes/Case	50	42	18	2.6

PCR Cap Strips

Color	Cap Numbers	Cat.#	Quantity per Case	Size / Case (CM) L	W	H	Weight / Case(Kg)
Nature	8 caps	PCR-B8GC	125 PCS/Box, 10 Boxes/Case	50	42	18	1.6
Nature	12 caps	PCR-B12GC	125 PCS/Box, 10 Boxes/Case	50	42	18	2.5





PCR Tube Strips, Axygen style

Type	Color	Tube	Cat.#	Quantity per Case	Size / Case (CM) L	W	H	Weight / Case(Kg)
0.1mL / 0.2mL, low profile	Nature	8 tubes	A8LT-01N	125 PCS/Box, 10 Boxes/Case	50	42	18	2.15
0.1mL / 0.2mL, low profile	White	8 tubes	A8LT-01W	125 PCS/Box, 10 Boxes/Case	50	42	18	2.15
0.2mL, regular profile	Nature	8 tubes	A8RT-02N	125 PCS/Box, 10 Boxes/Case	50	42	18	2.7
0.2mL, regular profile	White	8 tubes	A8RT-02W	125 PCS/Box, 10 Boxes/Case	50	42	18	2.7

PCR Cap Strips, Axygen style

Color	Cap Numbers	Cat.#	Quantity per Case	Size / Case (CM) L	W	H	Weight / Case(Kg)
Nature	8 flat caps	PCR-A8GC	125 PCS/Box, 10 Boxes/Case	50	42	18	1.41
Nature	8 domed caps	PCR-A8TC	125 PCS/Box, 10 Boxes/Case	50	42	18	1.6

PCR 4 tubes strip with separate cap strip

Size	Color	Tube Numbers	Cat.#	Quantity per Case	Size / Case (CM) L	W	H	Weight / Case(Kg)
0.1mL, Qiagen, Rotorgene	Nature	4 tubes	PCR4RG	250Kits/Box, 10 Boxes/Case	50	42	18	2.85

PCR Tubes

Down to 0.25 mm

- There are 5 kinds of single PCR tube available for supplying currently.
- Uniform thin wall down to 0.25mm for optimal heat transfer.
- Conical bottom make less different during transfer.
- All tubes are produced in class 100,000 clean room. RNase and DNase free, endotoxin free, No Human DNA.



Optical cap 0.1mL PCR tube



Flat cap 0.2mL PCR tube



Domed cap 0.2mL PCR tube



Optical cap 0.2mL PCR tube



0.5mL PCR tube

ORDER INFORMATION

Size	Cap type	Color	Packaging	Cat.#	Qty / Case	Size / Case (CM) L	W	H	Weight / Case (Kg)
0.1mL	Optical	Transparent	1000 PCS/Bag	PCR001FG	10 Bags (1000PCS/Bag, 10 Bags/Case)	38.5	29.5	21.5	1.8
0.2mL	Flat, frosting	Transparent	1000 PCS/Bag	PCR002F	10 Bags (1000PCS/Bag, 10 Bags/Case)	44	25	22	2.3
0.2mL	Optical	Transparent	1000 PCS/Bag	PCR002FG	10 Bags (1000PCS/Bag, 10 Bags/Case)	44	25	22	2.3
0.2mL	Domed	Transparent	1000 PCS/Bag	PCR002D	10 Bags (1000PCS/Bag, 10 Bags/Case)	44	25	22	2.5
0.5mL	Flat, frosting	Transparent	1000 PCS/Bag	PCR005	10 Bags (1000PCS/Bag, 10 Bags/Case)	43	38	28	5.7

E Series Filter Pipette Tips

Search "GenFollower" on Youtube or go to
"https://youtube.com/channel/UCLbB_rlWHnNHqceVrOtPgQQ"

GenFollower®

5 Racks per Pack Available!

Thinner wall of entrance brings
you a softer hand feeling
to reduce damage to the wrist in
long-term use.

More graduations could meet
a wider variety of volume
pipetting needs and achieve more
precise pipetting.


Rack of the tips is up to ANSI-SLAS
standard, which make it compatible
with workstations using non-exclusive
or non-specific tips.

This product has passed the RoHS
(2011/65/EU and its amendment 2015/863)
test covering ten restricted hazardous substances,
as well as key REACH SVHC screenings
including Cd, Pb, PHTH, and PAHs.
All results comply with EU environmental
regulations and the product is suitable
for export to the EU and US markets.


E-short-10μL




E-middle-10μL




E-50μL




E-100μL




E-200μL




E-long-10μL




E-20μL




E-300μL



E-1000μL



E-1250μL



E Series Filter Pipette Tips


ORDER INFORMATION


Size	Packaging	Color	Class	Cat.#	Qty / Case	Size / Case (CM)			Weight / Case(Kg)
						L	W	H	
10μL, Short	96 tips/Rack	Nature	Common	E-FTR10S-S	50 Racks	37.5	31.7	54	7.18
10μL, Short	1000 tips/Bag	Nature		E-FTB10S	10 Bags	27	25	20	2.05
10μL, Short	96 tips/Rack	Nature	Ultra Low retention	E-FTR10S-L-S	50 Racks	37.5	31.7	54	7.18
10μL, Short	1000 tips/Bag	Nature		E-FTB10S-L	10 Bags	27	25	20	2.05
10μL, Middle	96 tips/Rack	Nature	Common	E-FTR10M-S	50 Racks	37.5	31.7	54	6.65
10μL, Middle	1000 tips/Bag	Nature		E-FTB10M	10 Bags	33	25	30	2.05
10μL, Middle	96 tips/Rack	Nature	Ultra Low retention	E-FTR10M-L-S	50 Racks	37.5	31.7	54	6.65
10μL, Middle	1000 tips/Bag	Nature		E-FTB10M-L	10 Bags	33	25	30	2.05
10μL, Long	96 tips/Rack	Nature	Common	E-FTR10GL-S	50 Racks	37.5	31.7	54	7.23
10μL, Long	1000 tips/Bag	Nature		E-FTB10GL	10 Bags	33	25	30	2.15
10μL, Long	96 tips/Rack	Nature	Ultra Low retention	E-FTR10GL-L-S	50 Racks	37.5	31.7	54	7.23
10μL, Long	1000 tips/Bag	Nature		E-FTB10GL-L	10 Bags	33	25	30	2.15
20μL	96 tips/Rack	Nature	Common	E-FTR20-S	50 Racks	45	31.7	54	8.72
20μL	1000 tips/Bag	Nature		E-FTB20	10 Bags	38.5	30	32.5	3.80
20μL	96 tips/Rack	Nature	Ultra Low retention	E-FTR20-L-S	50 Racks	45	31.7	54	8.72
20μL	1000 tips/Bag	Nature		E-FTB20-L	10 Bags	38.5	30	32.5	3.80
50μL	96 tips/Rack	Nature	Common	E-FTR50-S	50 Racks	45	31.7	54	8.72
50μL	1000 tips/Bag	Nature		E-FTB50	10 Bags	38.5	30	32.5	3.85
50μL	96 tips/Rack	Nature	Ultra Low retention	E-FTR50-L-S	50 Racks	45	31.7	54	8.72
50μL	1000 tips/Bag	Nature		E-FTB50-L	10 Bags	38.5	30	32.5	3.85
100μL	96 tips/Rack	Nature	Common	E-FTR100-S	50 Racks	45	31.7	54	8.82
100μL	1000 tips/Bag	Nature		E-FTB100	10 Bags	38.5	30	32.5	4.00
100μL	96 tips/Rack	Nature	Ultra Low retention	E-FTR100-L-S	50 Racks	45	31.7	54	8.82
100μL	1000 tips/Bag	Nature		E-FTB100-L	10 Bags	38.5	30	32.5	4.00
200μL	96 tips/Rack	Nature	Common	E-FTR200-S	50 Racks	45	31.7	54	9.12
200μL	1000 tips/Bag	Nature		E-FTB200	10 Bags	42.5	28	47.5	4.95
200μL	96 tips/Rack	Nature	Ultra Low retention	E-FTR200-L-S	50 Racks	45	31.7	54	9.12
200μL	1000 tips/Bag	Nature		E-FTB200-L	10 Bags	42.5	28	47.5	4.95
300μL	96 tips/Rack	Nature	Common	E-FTR300-S	50 Racks	45	31.7	54	9.17
300μL	1000 tips/Bag	Nature		E-FTB300	10 Bags	42.5	28	47.5	5.05
300μL	96 tips/Rack	Nature	Ultra Low retention	E-FTR300-L-S	50 Racks	45	31.7	54	9.17
300μL	1000 tips/Bag	Nature		E-FTB300-L	10 Bags	42.5	28	47.5	5.05
1000μL	96 tips/Rack	Nature	Common	E-FTR1000-S	50 Racks	70	37	50	13.30
1000μL	1000 tips/Bag	Nature		E-FTB1000	10 Bags	48	43	55	12.25
1000μL	96 tips/Rack	Nature	Ultra Low retention	E-FTR1000-L-S	50 Racks	70	37	50	13.30
1000μL	1000 tips/Bag	Nature		E-FTB1000-L	10 Bags	48	43	55	12.25
1250μL	96 tips/Rack	Nature	Common	E-FTR1250-S	50 Racks	70	37	50	13.50
1250μL	1000 tips/Bag	Nature		E-FTB1250	10 Bags	48	43	55	13.00
1250μL	96 tips/Rack	Nature	Ultra Low retention	E-FTR1250-L-S	50 Racks	70	37	50	13.50
1250μL	1000 tips/Bag	Nature		E-FTB1250-L	10 Bags	48	43	55	13.00

Search "GenFollower" on Youtube or go to
"https://youtube.com/channel/UCLbB_rlWHnNHqceVrOtPgQQ"

E Series Pipette Tips

5 Racks per Pack Available!





ORDER INFORMATION

Size	Packaging	Color	Class	Cat.#	Qty / Case	Size / Case (CM)			Weight / Case(Kg)
						L	W	H	
10μL, Short	96 tips/Rack	Nature	Common	E-TR10S-S	50 Racks	37.5	31.7	54	7.13
10μL, Short	1000 tips/Bag	Nature		E-TB10S	10 Bags	27	25	20	1.65
10μL, Short	96 tips/Rack	Nature	Ultra Low retention	E-TR10S-L-S	50 Racks	37.5	31.7	54	7.13
10μL, Short	1000 tips/Bag	Nature		E-TB10S-L	10 Bags	27	25	20	1.65
10μL, Middle	96 tips/Rack	Nature	Common	E-TR10M-S	50 Racks	37.5	31.7	54	6.80
10μL, Middle	1000 tips/Bag	Nature		E-TB10M	10 Bags	33	25	30	2.00
10μL, Middle	96 tips/Rack	Nature	Ultra Low retention	E-TR10M-L-S	50 Racks	37.5	31.7	54	6.80
10μL, Middle	1000 tips/Bag	Nature		E-TB10M-L	10 Bags	33	25	30	2.00
10μL, Long	96 tips/Rack	Nature	Common	E-TR10GL-S	50 Racks	37.5	31.7	54	7.13
10μL, Long	1000 tips/Bag	Nature		E-TB10GL	10 Bags	33	25	30	1.95
10μL, Long	96 tips/Rack	Nature	Ultra Low retention	E-TR10GL-L-S	50 Racks	37.5	31.7	54	7.13
10μL, Long	1000 tips/Bag	Nature		E-TB10GL-L	10 Bags	33	25	30	1.95
200μL	96 tips/Rack	Nature	Common	E-TR200-S	50 Racks	45	31.7	54	8.52
200μL	1000 tips/Bag	Nature		E-TB200	10 Bags	38.5	30	32.5	3.40
200μL	96 tips/Rack	Nature	Ultra Low retention	E-TR200-L-S	50 Racks	45	31.7	54	8.52
200μL	1000 tips/Bag	Nature		E-TB200-L	10 Bags	38.5	30	32.5	3.40
300μL	96 tips/Rack	Nature	Common	E-TR300-S	50 Racks	45	31.7	54	9.02
300μL	1000 tips/Bag	Nature		E-TB300	10 Bags	42.5	28	47.5	4.30
300μL	96 tips/Rack	Nature	Ultra Low retention	E-TR300-L-S	50 Racks	45	31.7	54	9.02
300μL	1000 tips/Bag	Nature		E-TB300-L	10 Bags	42.5	28	47.5	4.30
1000μL	96 tips/Rack	Nature	Common	E-TR1000-S	50 Racks	70	37	50	12.60
1000μL	1000 tips/Bag	Nature		E-TB1000	10 Bags	48	43	55	10.60
1000μL	96 tips/Rack	Nature	Ultra Low retention	E-TR1000-L-S	50 Racks	70	37	50	12.60
1000μL	1000 tips/Bag	Nature		E-TB1000-L	10 Bags	48	43	55	10.60
1250μL	96 tips/Rack	Nature	Common	E-TR1250-S	50 Racks	70	37	50	12.80
1250μL	1000 tips/Bag	Nature		E-TB1250	10 Bags	48	43	55	11.00
1250μL	96 tips/Rack	Nature	Ultra Low retention	E-TR1250-L-S	50 Racks	70	37	50	12.80
1250μL	1000 tips/Bag	Nature		E-TB1250-L	10 Bags	48	43	55	11.00



E Series Pipette Tips Refill System



· Go Green: We're slashing plastic in our packaging, and you can give those empty single racks a second life.

· Easy to Use: Just press the top to install, and they perfectly fit in an empty rack.

· Pure and Clean: Sterile and devoid of DNA, RNA, and pyrogens, ensuring the utmost in product purity.







Empty Pipette Tip Racks








ORDER INFORMATION

Size	Packaging	Color	Class	Sterility	Cat.#	Qty/Case	Size/Case (CM)			Weight/ Case(Kg)
							L	W	H	
10uL, Long	960 Tips/Refill unit	Nature	Common	Sterile	E-RS10GL-S	10 Units	54	31	28.5	5.15
10uL, Long	960 Tips/Refill unit	Nature	Ultra Low Retention		E-RS10GL-L-S	10 Units	54	31	28.5	5.15
10uL, Long	960 Tips/Refill unit	Nature	Common	Non-sterile	E-RS10GL	10 Units	54	31	28.5	5.15
10uL, Long	960 Tips/Refill unit	Nature	Ultra Low Retention		E-RS10GL-L	10 Units	54	31	28.5	5.15
200uL	960 Tips/Refill unit	Nature	Common	Sterile	E-RS200-S	10 Units	54	31	28.5	6.35
200uL	960 Tips/Refill unit	Nature	Ultra Low Retention		E-RS200-L-S	10 Units	54	31	28.5	6.35
200uL	960 Tips/Refill unit	Nature	Common	Non-sterile	E-RS200	10 Units	54	31	28.5	6.35
200uL	960 Tips/Refill unit	Nature	Ultra Low Retention		E-RS200-L	10 Units	54	31	28.5	6.35
300uL	960 Tips/Refill unit	Nature	Common	Sterile	E-RS300-S	10 Units	54	31	31	7.15
300uL	960 Tips/Refill unit	Nature	Ultra Low Retention		E-RS300-L-S	10 Units	54	31	31	7.15
300uL	960 Tips/Refill unit	Nature	Common	Non-sterile	E-RS300	10 Units	54	31	31	7.15
300uL	960 Tips/Refill unit	Nature	Ultra Low Retention		E-RS300-L	10 Units	54	31	31	7.15
1000uL	768 Tips/Refill unit	Nature	Common	Sterile	E-RS1000-S	5 Units	32	26	34.5	4.65
1000uL	768 Tips/Refill unit	Nature	Ultra Low Retention		E-RS1000-L-S	5 Units	32	26	34.5	4.65
1000uL	768 Tips/Refill unit	Nature	Common	Non-sterile	E-RS1000	5 Units	32	26	34.5	4.65
1000uL	768 Tips/Refill unit	Nature	Ultra Low Retention		E-RS1000-L	5 Units	32	26	34.5	4.65
1250uL	768 Tips/Refill unit	Nature	Common	Sterile	E-RS1250-S	5 Units	32	26	34.5	4.90
1250uL	768 Tips/Refill unit	Nature	Ultra Low Retention		E-RS1250-L-S	5 Units	32	26	34.5	4.90
1250uL	768 Tips/Refill unit	Nature	Common	Non-sterile	E-RS1250	5 Units	32	26	34.5	4.90
1250uL	768 Tips/Refill unit	Nature	Ultra Low Retention		E-RS1250-L	5 Units	32	26	34.5	4.90

ORDER INFORMATION

For Use With	Type	Color	Material	Cat.#	Qty/Case	Size / Case (CM)			Weight / Case(Kg)
						L	W	H	
10uL pipette tips	With wafer	Red	PP	E-WER-A	50 PCS/Case	37.5	31.7	54	6.47
10uL pipette tips	Without wafer			E-ER-A	50 PCS/Case	37.5	31.7	54	6.07
200uL/300uL pipette tips	With wafer	Yellow	PP	E-WER-B	50 PCS/Case	45	31.7	54	7.53
200uL/300uL pipette tips	Without wafer			E-ER-B	50 PCS/Case	45	31.7	54	6.78
1000uL/1250uL pipette tips	With wafer	Blue	PP	E-WER-C	50 PCS/Case	70	37	50	9.40
1000uL/1250uL pipette tips	Without wafer			E-ER-C	50 PCS/Case	70	37	50	9.16
10uL pipette tips	With wafer	Red	PC	E-WRC-A	50 PCS/Case	37.5	31.7	54	9.95
10uL pipette tips	Without wafer			E-RC-A	50 PCS/Case	37.5	31.7	54	9.50
200uL/300uL pipette tips	With wafer	Yellow	PC	E-WRC-B	50 PCS/Case	45	31.7	54	11.15
200uL/300uL pipette tips	Without wafer			E-RC-B	50 PCS/Case	45	31.7	54	10.35
1000uL/1250uL pipette tips	With wafer	Blue	PC	E-WRC-C	50 PCS/Case	70	37	50	14.20
1000uL/1250uL pipette tips	Without wafer			E-RC-C	50 PCS/Case	70	37	50	13.90

How to resue empty rack with Ecolayer?



1. Unwrap the Ecolayer and prepare an empty rack without a lid.
2. Place the Ecolayer on the rack, pressing down to affix the pipette tips.
3. Lift the refill system and snap on the bottom support bracket.
4. Cover the rack with its lid and close it up, ready for the next use.

Single Wafer Refill Pack

- User-friendly and effortless to load.
- Ensured sterilized packaging to maintain purity and prevent cross-contamination.
- A new eco-friendly solution: save on plastic by reusing pipette tip racks, and save expenses in the lab too.



How to Use Single Wafer Refill Pack ?





1. Unwrap the single wafer refill and grab an empty tip rack without the lid.
2. Put the refill pack on the rack and press down to attach the pipette tips securely.
3. Remove the refill pack once the tips are in place.
4. Cover the rack with its lid and close it up, all set for the next use!

Large Volume Filter Tips

Large & Small entrance Available!

- The transparent tip with clear graduations allows easy observation while pipetting.
- Compatible with major pipette brands like Dragon, Brand, Thermo, Eppendorf, and others.
- Vital for liquid manipulation tasks including cell culture and sample prep.





Please kindly note: In the context of 10mL-X/5mL-X, this notation refers to the letter right after Cat. #5000 and Cat. #10000.

ORDER INFORMATION

Size	Packaging	Color	Class	Cat.#	Qty / Case	Size / Case (CM) L	W	H	Weight / Case(Kg)
1500uL, 130mm extended length	1000 Tips/Bag	Nature	Common	FTB1500	5 Bags	50	32.5	31	7.10
1500uL, 130mm extended length	96 Tips/Rack	Nature		FTR1500-S	25 Racks	40.5	33.5	44	9.69
1500uL, 130mm extended length	1000 Tips/Bag	Nature	Ultra Low retention	FTB1500-L	5 Bags	50	32.5	31	7.10
1500uL, 130mm extended length	96 Tips/Rack	Nature		FTR1500-L-S	25 Racks	40.5	33.5	44	9.69
5mL, Large entrance, Long	24 Tips/Rack	Nature	Common	FTR5000L-S	16 Racks	42.5	28.5	41	6.30
5mL, Large entrance, Long	100 Tips/Bag	Nature		FTB5000L	10 Bags	44	27	30	3.80
5mL, Large entrance, Long	24 Tips/Rack	Nature	Ultra Low retention	FTR5000L-L-S	16 Racks	42.5	28.5	41	6.30
5mL, Large entrance, Long	100 Tips/Bag	Nature		FTB5000L-L	10 Bags	44	27	30	3.80
5mL, Small entrance	40 Tips/Rack	Nature	Common	FTR5000T-S	16 Racks	42.5	28.5	41	7.20
5mL, Small entrance	100 Tips/Bag	Nature		FTB5000T	10 Bags	44	27	30	3.80
5mL, Small entrance	40 Tips/Rack	Nature	Ultra Low retention	FTR5000T-L-S	16 Racks	42.5	28.5	41	7.20
5mL, Small entrance	100 Tips/Bag	Nature		FTB5000T-L	10 Bags	44	27	30	3.80
5mL, Large entrance, Short	24 Tips/Rack	Nature	Common	FTR5000E-S	16 Racks	42.5	28.5	41	6.50
5mL, Large entrance, Short	100 Tips/Bag	Nature		FTB5000E	10 Bags	44	27	30	4.20
5mL, Large entrance, Short	24 Tips/Rack	Nature	Ultra Low retention	FTR5000E-L-S	16 Racks	42.5	28.5	41	6.50
5mL, Large entrance, Short	100 Tips/Bag	Nature		FTB5000E-L	10 Bags	44	27	30	4.20
5mL, Large entrance, Short	24 Tips/Rack	Nature	Common	FTR5000G-S	16 Racks	42.5	28.5	41	6.50
5mL, Large entrance, Short	100 Tips/Bag	Nature		FTB5000G	10 Bags	44	27	30	4.20
5mL, Large entrance, Short	24 Tips/Rack	Nature	Ultra Low retention	FTR5000G-L-S	16 Racks	42.5	28.5	41	6.50
5mL, Large entrance, Short	100 Tips/Bag	Nature		FTB5000G-L	10 Bags	44	27	30	4.20
5mL, Large entrance, Middle	24 Tips/Rack	Nature	Common	FTR5000F-S	16 Racks	42.5	28.5	41	6.30
5mL, Large entrance, Middle	100 Tips/Bag	Nature		FTB5000F	10 Bags	44	27	30	3.80
5mL, Large entrance, Middle	24 Tips/Rack	Nature	Ultra Low retention	FTR5000F-L-S	16 Racks	42.5	28.5	41	6.30
5mL, Large entrance, Middle	100 Tips/Bag	Nature		FTB5000F-L	10 Bags	44	27	30	3.80
10mL, Large entrance	24 Tips/Rack	Nature	Common	FTR10000T-S	16 Racks	42.5	28.5	41	7.10
10mL, Large entrance	100 Tips/Bag	Nature		FTB10000T	10 Bags	48.5	26	39.5	6.30
10mL, Large entrance	24 Tips/Rack	Nature	Ultra Low retention	FTR10000T-L-S	16 Racks	42.5	28.5	41	7.10
10mL, Large entrance	100 Tips/Bag	Nature		FTB10000T-L	10 Bags	48.5	26	39.5	6.30
10mL, Small entrance	24 Tips/Rack	Nature	Common	FTR10000D-S	16 Racks	42.5	28.5	41	7.00
10mL, Small entrance	100 Tips/Bag	Nature		FTB10000D	10 Bags	48.5	26	39.5	6.20
10mL, Small entrance	24 Tips/Rack	Nature	Ultra Low retention	FTR10000D-L-S	16 Racks	42.5	28.5	41	7.00
10mL, Small entrance	100 Tips/Bag	Nature		FTB10000D-L	10 Bags	48.5	26	39.5	6.20
10mL, Small entrance	24 Tips/Rack	Nature	Common	FTR10000E-S	16 Racks	42.5	28.5	41	7.00
10mL, Small entrance	100 Tips/Bag	Nature		FTB10000E	10 Bags	48.5	26	39.5	6.20
10mL, Small entrance	24 Tips/Rack	Nature	Ultra Low retention	FTR10000E-L-S	16 Racks	42.5	28.5	41	7.00
10mL, Small entrance	100 Tips/Bag	Nature		FTB10000E-L	10 Bags	48.5	26	39.5	6.20

COMPATIBILITY


Cat.# \ Pipette Brand	Eppendorf	Dragon	Sartorius	Brand	LABSERV	Thermo	Thermo Finnpipette	Watson	Gilson	Rainin UNV	IKA
FTB1500; FTR1500-S; FTB1500-L; FTR1500-L-S;	√					√	√		√		
FTR5000L-S; FTB5000L; FTR5000L-L-S; FTB5000L-L;	√	√	√		√						
FTR5000T-S; FTB5000T; FTR5000T-L-S; FTB5000T-L				√			√				
FTR5000E-S; FTB5000E; FTR5000E-L-S; FTB5000E-L	√	√	√					√			√
FTR5000G-S; FTB5000G; FTR5000G-L-S; FTB5000G-L									√	√	
FTR5000F-S; FTB5000F; FTR5000F-L-S; FTB5000F-L	√	√	√		√						
FTR10000T-S; FTB10000T; FTR10000T-L-S; FTB10000T-L						√					
FTR10000D-S; FTB10000D; FTR10000D-L-S; FTB10000D-L	√	√		√	√						√
FTR10000E-S; FTB10000E; FTR10000E-L-S; FTB10000E-L	√		√	√	√				√	√	√


GenFollower®

You Tube Search "GenFollower" on Youtube or go to "https://youtube.com/channel/UCLbB_rlWHnNHqceVrOtPgQQ"

Large Volume Pipette Tips

Large & Small entrance Available!





Please kindly note: In the context of 10mL-X/5mL-X, this notation refers to the letter right after Cat. #5000 and Cat. #10000.

ORDER INFORMATION

Size	Packaging	Color	Class	Cat.#	Qty / Case	Size / Case (CM)			Weight / Case(Kg)
						L	W	H	
1500uL, 130mm extended length	1000 Tips/Bag	Nature	Common	TB1500	5 Bags	50	32.5	31	6.60
1500uL, 130mm extended length	96 Tips/Rack	Nature		TR1500-S	25 Racks	40.5	33.5	44	9.43
1500uL, 130mm extended length	1000 Tips/Bag	Nature	Ultra Low retention	TB1500-L	5 Bags	50	32.5	31	6.60
1500uL, 130mm extended length	96 Tips/Rack	Nature		TR1500-L-S	25 Racks	40.5	33.5	44	9.43
5mL, Large entrance, Long	24 Tips/Rack	Nature	Common	TR5000L-S	16 Racks	42.5	28.5	41	6.20
5mL, Large entrance, Long	100 Tips/Bag	Nature		TB5000L	10 Bags	44	27	30	3.70
5mL, Large entrance, Long	24 Tips/Rack	Nature	Ultra Low retention	TR5000L-L-S	16 Racks	42.5	28.5	41	6.20
5mL, Large entrance, Long	100 Tips/Bag	Nature		TB5000L-L	10 Bags	44	27	30	3.70
5mL, Small entrance	40 Tips/Rack	Nature	Common	TR5000T-S	16 Racks	42.5	28.5	41	7.00
5mL, Small entrance	100 Tips/Bag	Nature		TB5000T	10 Bags	44	27	30	3.70
5mL, Small entrance	40 Tips/Rack	Nature	Ultra Low retention	TR5000T-L-S	16 Racks	42.5	28.5	41	7.00
5mL, Small entrance	100 Tips/Bag	Nature		TB5000T-L	10 Bags	44	27	30	3.70
5mL, Large entrance, Short	24 Tips/Rack	Nature	Common	TR5000E-S	16 Racks	42.5	28.5	41	6.40
5mL, Large entrance, Short	100 Tips/Bag	Nature		TB5000E	10 Bags	44	27	30	4.10
5mL, Large entrance, Short	24 Tips/Rack	Nature	Ultra Low retention	TR5000E-L-S	16 Racks	42.5	28.5	41	6.40
5mL, Large entrance, Short	100 Tips/Bag	Nature		TB5000E-L	10 Bags	44	27	30	4.10
5mL, Large entrance, Short	24 Tips/Rack	Nature	Common	TR5000G-S	16 Racks	42.5	28.5	41	6.40
5mL, Large entrance, Short	100 Tips/Bag	Nature		TB5000G	10 Bags	44	27	30	4.10
5mL, Large entrance, Short	24 Tips/Rack	Nature	Ultra Low retention	TR5000G-L-S	16 Racks	42.5	28.5	41	6.40
5mL, Large entrance, Short	100 Tips/Bag	Nature		TB5000G-L	10 Bags	44	27	30	4.10
5mL, Large entrance, Middle	24 Tips/Rack	Nature	Common	TR5000F-S	16 Racks	42.5	28.5	41	6.20
5mL, Large entrance, Middle	100 Tips/Bag	Nature		TB5000F	10 Bags	44	27	30	3.70
5mL, Large entrance, Middle	24 Tips/Rack	Nature	Ultra Low retention	TR5000F-L-S	16 Racks	42.5	28.5	41	6.20
5mL, Large entrance, Middle	100 Tips/Bag	Nature		TB5000F-L	10 Bags	44	27	30	3.70
10mL, Large entrance	24 Tips/Rack	Nature	Common	TR10000T-S	16 Racks	42.5	28.5	41	7.00
10mL, Large entrance	100 Tips/Bag	Nature		TB10000T	10 Bags	48.5	26	39.5	6.20
10mL, Large entrance	24 Tips/Rack	Nature	Ultra Low retention	TR10000T-L-S	16 Racks	42.5	28.5	41	7.00
10mL, Large entrance	100 Tips/Bag	Nature		TB10000T-L	10 Bags	48.5	26	39.5	6.20
10mL, Small entrance	24 Tips/Rack	Nature	Common	TR10000D-S	16 Racks	42.5	28.5	41	6.90
10mL, Small entrance	100 Tips/Bag	Nature		TB10000D	10 Bags	48.5	26	39.5	6.10
10mL, Small entrance	24 Tips/Rack	Nature	Ultra Low retention	TR10000D-L-S	16 Racks	42.5	28.5	41	6.90
10mL, Small entrance	100 Tips/Bag	Nature		TB10000D-L	10 Bags	48.5	26	39.5	6.10
10mL, Small entrance	24 Tips/Rack	Nature	Common	TR10000E-S	16 Racks	42.5	28.5	41	6.90
10mL, Small entrance	100 Tips/Bag	Nature		TB10000E	10 Bags	48.5	26	39.5	6.10
10mL, Small entrance	24 Tips/Rack	Nature	Ultra Low retention	TR10000E-L-S	16 Racks	42.5	28.5	41	6.90
10mL, Small entrance	100 Tips/Bag	Nature		TB10000E-L	10 Bags	48.5	26	39.5	6.10

COMPATIBILITY

Pipette Brand / Cat.#	Eppendorf	Dragon	Sartorius	Brand	LABSERV	Thermo	Thermo Finnpipette	Watson	Gilson	Rainin UNV	IKA
TB1500; TR1500-S; TB1500-L; TR1500-L-S;	√					√	√		√		
TR5000L-S; TB5000L; TR5000L-L-S; TB5000L-L;	√	√	√		√						
TR5000T-S; TB5000T; TR5000T-L-S; TB5000T-L				√			√				
TR5000E-S; TB5000E; TR5000E-L-S; TB5000E-L	√	√	√					√			√
TR5000G-S; TB5000G; TR5000G-L-S; TB5000G-L									√	√	
TR5000F-S; TB5000F; TR5000F-L-S; TB5000F-L	√	√	√		√						
TR10000T-S; TB10000T; TR10000T-L-S; TB10000T-L						√					
TR10000D-S; TB10000D; TR10000D-L-S; TB10000D-L	√	√		√	√						√
TR10000E-S; TB10000E; TR10000E-L-S; TB10000E-L	√		√	√	√				√	√	√

Reagent Reservoirs

- It works with multi-channel pipettes and workstations, making work faster and more accurate.
- Individually packaged for cleanliness and easy use.
- The reservoir can handle various liquid samples and is great for dispensing bulk liquids accurately.

RC00025



RC08005



RC12005

Comparable to Corning 4877

RC90001

Comparable to Tecan
10613020/10613048

RC90002
RC90004




RC90002: Comparable to Hamilton 53646-01

RC90003
RC90005




RC90003: Comparable to Hamilton 56694-02


RC90014
RC90034



RC90021
RC90041




RC90022
RC90042




GenFollower®


RC90013
RC90033




RC90017
RC90037




RC90023
RC90043




RC90012
RC90032




RC90006
RC90027




RC90018
RC90038




RC90024
RC90044




RC90007
RC90028




RC90009
RC90029




RC90019
RC90039




RC90020
RC90040




RC90015
RC90035




RC90025
RC90045




RC90010
RC90030




RC90016
RC90036



RC90026
RC90046



RC90011
RC90031



Disposable Reagent Reservoirs

Volume	Type	Color	Material	Cat.#	Qty/Case	Size / Case (CM)			Weight / Case(Kg)
						L	W	H	
25mL	Single channel	White	PS	RC00025	10 PCS/Bag, 10 Bags/Case	36	18.5	24	2.3
around 7mL	8-channel	White	PS	RC08005	1 PC/Bag, 100 Bags/Case	56	31	17	2
around 5mL	12-channel	White	PS	RC12005	1 PC/Bag, 100 Bags/Case	56	31	17	2.1

Automation-Compatible Reservoirs


Volume	Type	Color	Material	Cat.#	Qty/Case	Size / Case (CM)			Weight / Case(Kg)
						L	W	H	
100mL	for Tecan stations use	Nature	PP	RC90001	1 PC/Bag, 108 Bags/Case	56	31	17	3
60mL	for Hamilton stations use	Nature	PP	RC90002	1 PC/Bag, 28 Bags/Case	31	20.5	20	1.2
60mL	for Hamilton stations use	Black	PP	RC90003	1 PC/Bag, 28 Bags/Case	31	20.5	20	1.2
60mL	for Hamilton stations use, low retention	Nature	PP	RC90004	1 PC/Bag, 28 Bags/Case	31	20.5	20	1.2
60mL	for Hamilton stations use, low retention	Black	PP	RC90005	1 PC/Bag, 28 Bags/Case	31	20.5	20	1.2
100mL	single-channel, low profile, flat bottom, no partitions, Axygen style, non-sterile	Nature	PP	RC90014	10 PCS/Bag, 5 Bags/Case	46	28	14	2
100mL	single-channel, low profile, flat bottom, no partitions, Axygen style, sterile	Nature	PP	RC90034	10 PCS/Bag, 5 Bags/Case	46	28	14	2
190mL	single-channel, medium profile, flat bottom, no partitions, non-sterile	Nature	PP	RC90021	5 PCS/Bag, 10 Bags/Case	46	28	20	2.98
190mL	single-channel, medium profile, flat bottom, no partitions, sterile	Nature	PP	RC90041	5 PCS/Bag, 10 Bags/Case	46	28	20	2.98
47mL	4-channel, high profile, conical bottom, with partitions, Axygen style, non-sterile	Nature	PP	RC90022	5 PCS/Bag, 10 Bags/Case	46	28	20	2.89
47mL	4-channel, high profile, conical bottom, with partitions, Axygen style, sterile	Nature	PP	RC90042	5 PCS/Bag, 10 Bags/Case	46	28	20	2.89
75mL	4-channel, high profile, conical bottom, with partitions, Axygen style, non-sterile	Nature	PP	RC90013	5 PCS/Bag, 10 Bags/Case	48.5	30	26	4.2
75mL	4-channel, high profile, conical bottom, with partitions, Axygen style, sterile	Nature	PP	RC90033	5 PCS/Bag, 10 Bags/Case	48.5	30	26	4.2
12mL	8-channel, low profile, conical bottom, with partitions, Axygen style, non-sterile	Nature	PP	RC90017	10 PCS/Bag, 5 Bags/Case	46	28	14	2.2
12mL	8-channel, low profile, conical bottom, with partitions, Axygen style, sterile	Nature	PP	RC90037	10 PCS/Bag, 5 Bags/Case	46	28	14	2.2
22mL	8-channel reagent reservoirs, medium profile, conical bottom, with partitions, no sterile	Nature	PP	RC90023	5 PCS/Bag, 10 Bags/Case	46	28	20	3.68
22mL	8-channel reagent reservoirs, medium profile, conical bottom, with partitions, sterile	Nature	PP	RC90043	5 PCS/Bag, 10 Bags/Case	46	28	20	3.68
32mL	8-channel, high profile, conical bottom, with partitions, Axygen style, non-sterile	Nature	PP	RC90012	5 PCS/Bag, 10 Bags/Case	48.5	30	26	5.37
32mL	8-channel, high profile, conical bottom, with partitions, Axygen style, sterile	Nature	PP	RC90032	5 PCS/Bag, 10 Bags/Case	48.5	30	26	5.37
290mL	8-channel, high profile, conical bottom, no partitions, Axygen style, non-sterile	Nature	PP	RC90006	5 PCS/Bag, 10 Bags/Case	48.5	30	26	3.97
290mL	8-channel, high profile, conical bottom, no partitions, Axygen style, sterile	Nature	PP	RC90027	5 PCS/Bag, 10 Bags/Case	48.5	30	26	3.97
8mL	12-channel, low profile, conical bottom, with partitions, Axygen style, non-sterile	Nature	PP	RC90018	10 PCS/Bag, 5 Bags/Case	46	28	14	2.5
8mL	12-channel, low profile, conical bottom, with partitions, Axygen style, sterile	Nature	PP	RC90038	10 PCS/Bag, 5 Bags/Case	46	28	14	2.5
15mL	12-channel reagent reservoirs, medium profile, conical bottom, with partitions, no sterile	Nature	PP	RC90024	5 PCS/Bag, 10 Bags/Case	46	28	20	3.43
15mL	12-channel reagent reservoirs, medium profile, conical bottom, with partitions, sterile	Nature	PP	RC90044	5 PCS/Bag, 10 Bags/Case	46	28	20	3.43
22mL	12-channel, high profile, conical bottom, with partitions, Axygen style, non-sterile	Nature	PP	RC90007	5 PCS/Bag, 10 Bags/Case	48.5	30	26	5.42
22mL	12-channel, high profile, conical bottom, with partitions, Axygen style, sterile	Nature	PP	RC90028	5 PCS/Bag, 10 Bags/Case	48.5	30	26	5.42
290mL	12-channel, high profile, conical bottom, no partitions, Axygen style, non-sterile	Nature	PP	RC90009	5 PCS/Bag, 10 Bags/Case	48.5	30	26	3.88
290mL	12-channel, high profile, conical bottom, no partitions, Axygen style, sterile	Nature	PP	RC90029	5 PCS/Bag, 10 Bags/Case	48.5	30	26	3.88
5mL	16-channel, low profile, conical bottom, with partitions, non-sterile	Nature	PP	RC90019	10 PCS/Bag, 5 Bags/Case	28.5	24	19.5	2.55
5mL	16-channel, low profile, conical bottom, with partitions, sterile	Nature	PP	RC90039	10 PCS/Bag, 5 Bags/Case	28.5	24	19.5	2.55
3mL	24-channel, low profile, conical bottom, with partitions, non-sterile	Nature	PP	RC90020	10 PCS/Bag, 5 Bags/Case	46	28	14	2.88
3mL	24-channel, low profile, conical bottom, with partitions, sterile	Nature	PP	RC90040	10 PCS/Bag, 5 Bags/Case	46	28	14	2.88
100mL	96-well, low profile, conical bottom, no partitions, Axygen style, non-sterile	Nature	PP	RC90015	10 PCS/Bag, 5 Bags/Case	46	28	14	2.2
100mL	96-well, low profile, conical bottom, no partitions, Axygen style, sterile	Nature	PP	RC90035	10 PCS/Bag, 5 Bags/Case	46	28	14	2.2
195mL	96-well reagent reservoirs, medium profile, conical bottom, no partitions, no sterile	Nature	PP	RC90025	5 PCS/Bag, 10 Bags/Case	46	28	20	2.58
195mL	96-well reagent reservoirs, medium profile, conical bottom, no partitions, sterile	Nature	PP	RC90045	5 PCS/Bag, 10 Bags/Case	46	28	20	2.58
290mL	96-well, high profile, conical bottom, no partitions, Axygen style, non-sterile	Nature	PP	RC90010	5 PCS/Bag, 10 Bags/Case	48.5	30	26	4.05
290mL	96-well, high profile, conical bottom, no partitions, Axygen style, sterile	Nature	PP	RC90030	5 PCS/Bag, 10 Bags/Case	48.5	30	26	4.05
100mL	384-well , low profile, conical bottom, no partitions, Axygen style, non-sterile	Nature	PP	RC90016	10 PCS/Bag, 5 Bags/Case	46	28	14	2.2
100mL	384-well , low profile, conical bottom, no partitions, Axygen style, sterile	Nature	PP	RC90036	10 PCS/Bag, 5 Bags/Case	46	28	14	2.2
185mL	384-well reagent reservoirs, medium profile, conical bottom, no partitions, no sterile	Nature	PP	RC90026	5 PCS/Bag, 10 Bags/Case	46	28	20	2.58
185mL	384-well reagent reservoirs, medium profile, conical bottom, no partitions, sterile	Nature	PP	RC90046	5 PCS/Bag, 10 Bags/Case	46	28	20	2.58
290mL	384-well, high profile, conical bottom, no partitions, Axygen style, non-sterile	Nature	PP	RC90011	5 PCS/Bag, 10 Bags/Case	48.5	30	26	3.95
290mL	384-well, high profile, conical bottom, no partitions, Axygen style, sterile	Nature	PP	RC90031	5 PCS/Bag, 10 Bags/Case	48.5	30	26	3.95

Wide Bore Filter Tips

· The wide orifice is ideal for handling high-viscosity samples while concurrently minimizing shear forces, safeguarding delicate samples from potential damage.

· Universally compatible with a range of pipettes, ensuring seamless integration and adaptability for diverse laboratory applications.


· Sterilized, free of Dnase, RNase, DNA, and pyrogens, ensuring a clean environment for sensitive experiments.



ORDER INFORMATION

Size	Packaging	Color	Class	Cat.#	Qty / Case	Size / Case (CM)			Weight / Case(Kg)
						L	W	H	
200μL	96 tips/Rack	Nature	Common	CC-FWTR200-S	50 Racks/Case	48.5	27.5	39.5	8.6
200μL	1000 tips/Bag	Nature		CC-FWTB200	10 Bags/Case	48.5	30	26	4.25
200μL	96 tips/Rack	Nature	Ultra Low retention	CC-FWTR200-L-S	50 Racks/Case	48.5	27.5	39.5	8.6
200μL	1000 tips/Bag	Nature		CC-FWTB200-L	10 Bags/Case	48.5	30	26	4.25
1000μL	96 tips/Rack	Nature	Common	CC-FWTR1000-S	50 Racks/Case	48.5	27.5	60.5	13.3
1000μL	1000 tips/Bag	Nature		CC-FWTB1000	10 Bags/Case	60	42	39	11.35
1000μL	96 tips/Rack	Nature	Ultra Low retention	CC-FWTR1000-L-S	50 Racks/Case	48.5	27.5	60.5	13.3
1000μL	1000 tips/Bag	Nature		CC-FWTB1000-L	10 Bags/Case	60	42	39	11.35

Wide Bore Pipette Tips



Search "GenFollower" on Youtube or go to
"https://youtube.com/channel/UCLbB_rlWHnNHqceVrOtPgQQ"

ORDER INFORMATION


Size	Packaging	Color	Class	Cat.#	Qty / Case	Size / Case (CM)			Weight / Case(Kg)
						L	W	H	
200μL	96 tips/Rack	Nature	Common	CC-WTR200-S	50 Racks/Case	48.5	27.5	39.5	8.5
200μL	1000 tips/Bag	Nature		CC-WTB200	10 Bags/Case	48.5	30	26	4.1
200μL	96 tips/Rack	Nature	Ultra Low retention	CC-WTR200-L-S	50 Racks/Case	48.5	26	39.5	8.3
200μL	1000 tips/Bag	Nature		CC-WTB200-L	10 Bags/Case	48.5	30	26	4.1
1000μL	96 tips/Rack	Nature	Common	CC-WTR1000-S	50 Racks/Case	48.5	27.5	60.5	12.95
1000μL	1000 tips/Bag	Nature		CC-WTB1000	10 Bags/Case	60	42	39	10.55
1000μL	96 tips/Rack	Nature	Ultra Low retention	CC-WTR1000-L-S	50 Racks/Case	48.5	27.5	60.5	12.95
1000μL	1000 tips/Bag	Nature		CC-WTB1000-L	10 Bags/Case	60	42	39	10.55


Gel-loading Pipette Tips

· Easily load tiny 1-microliter samples without damaging the gel.

· Compatible with most pipettes used in labs, excluding Rainin LTS and Thermo Clip-Tip.

· Ideal for loading samples in SDS-PAGE electrophoresis, agarose gel electrophoresis, 2-D electrophoresis, and more.








ORDER INFORMATION


Size	Packaging	Color	Class	Cat.#	Qty / Case	Size / Case (CM)			Weight / Case(Kg)
						L	W	H	
200μL	96 tips/Rack	Nature	Common	GTR200-S	50 Racks/Case	49	48	27	7.45



LTS-Compatible Filter Pipette Tips

Search "GenFollower" on Youtube or go to "https://youtube.com/channel/UCLbB_rlWHnNHqceVrOtPgQQ"

Ultra Low Retention Available!



ORDER INFORMATION

Size	Packaging	Color	Class	Cat.#	Qty / Case	Size / Case (CM) L	W	H	Weight / Case(Kg)
20μL, CC Rack: for Manual Use	96 tips/Rack	Nature	Common	LTS-FTR20-S	50 Racks	48.5	27.5	39.5	7.45
20μL	1000 tips/Bag	Nature		LTS-FTB20	10 Bags	44	26	21	2.1
20μL, CC Rack: for Manual Use	96 tips/Rack	Nature	Ultra Low retention	LTS-FTR20-L-S	50 Racks	48.5	27.5	39.5	7.45
20μL	1000 tips/Bag	Nature		LTS-FTB20-L	10 Bags	44	26	21	2.1
200μL, CC Rack: for Manual Use	96 tips/Rack	Nature	Common	LTS-FTR200-S	50 Racks	48.5	27.5	39.5	8.4
200μL	1000 tips/Bag	Nature		LTS-FTB200	10 Bags	46.5	26.5	27	4
200μL, CC Rack: for Manual Use	96 tips/Rack	Nature	Ultra Low retention	LTS-FTR200-L-S	50 Racks	48.5	27.5	39.5	8.4
200μL	1000 tips/Bag	Nature		LTS-FTB200-L	10 Bags	46.5	26.5	27	4
Extended 200ul, 102 mm	96 tips/Rack	Nature	Common	LTS-FTR200XL-S	50 Racks	49.5	28.5	65	13
Extended 200ul, 102 mm	96 tips/Rack	Nature	Ultra Low retention	LTS-FTR200XL-L-S	50 Racks	49.5	28.5	65	13
300μL, CC Rack: for Manual Use	96 tips/Rack	Nature	Common	LTS-FTR300-S	50 Racks	48.5	27.5	39.5	8.64
300μL	1000 tips/Bag	Nature		LTS-FTB300	10 Bags	46.5	26.5	27	4.15
300μL, CC Rack: for Manual Use	96 tips/Rack	Nature	Ultra Low retention	LTS-FTR300-L-S	50 Racks	48.5	27.5	39.5	8.64
300μL	1000 tips/Bag	Nature		LTS-FTB300-L	10 Bags	46.5	26.5	27	4.15
1000μL, CC Rack: for Manual Use	96 tips/Rack	Nature	Common	LTS-FTR1000-S	50 Racks	48.5	27.5	60.5	12.65
1000μL	1000 tips/Bag	Nature		LTS-FTB1000	10 Bags	61	38	50	9.5
1000μL, CC Rack: for Manual Use	96 tips/Rack	Nature	Ultra Low retention	LTS-FTR1000-L-S	50 Racks	48.5	27.5	60.5	12.65
1000μL	1000 tips/Bag	Nature		LTS-FTB1000-L	10 Bags	61	38	50	9.5
1200μL, CC Rack: for Manual Use	96 tips/Rack	Nature	Common	LTS-FTR1200-S	50 Racks	48	27.5	60.5	12.98
1200μL	1000 tips/Bag	Nature		LTS-FTB1200	5 Bags	73	25	34.5	6.2
1200μL, CC Rack: for Manual Use	96 tips/Rack	Nature	Ultra Low retention	LTS-FTR1200-L-S	50 Racks	48	27.5	60.5	12.98
1200μL	1000 tips/Bag	Nature		LTS-FTB1200-L	5 Bags	73	25	34.5	6.2
5000μL / 5mL	24 tips/Rack	Nature	Common	LTS-FTR5000-S	16 Racks	42.5	28.5	41	6.5
5000μL / 5mL	100 tips/Bag	Nature		LTS-FTB5000	10 Bags	44	27	30	4.2
5000μL / 5mL	24 tips/Rack	Nature	Ultra Low retention	LTS-FTR5000-L-S	16 Racks	42.5	28.5	41	6.5
5000μL / 5mL	100 tips/Bag	Nature		LTS-FTB5000-L	10 Bags	44	27	30	4.2
10000μL / 10mL	24 tips/Rack	Nature	Common	LTS-FTR10000-S	16 Racks	42.5	28.5	41	7
10000μL / 10mL	100 tips/Bag	Nature		LTS-FTB10000	10 Bags	48.5	26	39.5	6.2
10000μL / 10mL	24 tips/Rack	Nature	Ultra Low retention	LTS-FTR10000-L-S	16 Racks	42.5	28.5	41	7
10000μL / 10mL	100 tips/Bag	Nature		LTS-FTB10000-L	10 Bags	48.5	26	39.5	6.2


Please kindly note Rainin and LTS™ are trademarks of METTLER TOLEDO and Company or its affiliates.


LTS-Compatible Pipette Tips

Search "GenFollower" on Youtube or go to "https://youtube.com/channel/UCLbB_rlWHnNHqceVrOtPgQQ"

GenFollower®

Ultra Low Retention Available!





ORDER INFORMATION

Size	Packaging	Color	Class	Cat.#	Qty / Case	Size / Case (CM) L	W	H	Weight / Case(Kg)
20μL, CC Rack: for Manual Use	96 tips/Rack	Nature	Common	LTS-TR20-S	50 Racks	48	28	40	7.45
20μL	1000 tips/Bag	Nature		LTS-TB20	10 Bags	44	26	21	2.25
20μL, CC Rack: for Manual Use	96 tips/Rack	Nature	Ultra Low retention	LTS-TR20-L-S	50 Racks	48	28	40	7.45
20μL	1000 tips/Bag	Nature		LTS-TB20-L	10 Bags	44	26	21	2.25
200μL, CC Rack: for Manual Use	96 tips/Rack	Nature	Common	LTS-TR200-S	50 Racks	48	28	40	7.8
200μL	1000 tips/Bag	Nature		LTS-TB200	10 Bags	46.5	26.5	27	3.5
200μL, CC Rack: for Manual Use	96 tips/Rack	Nature	Ultra Low retention	LTS-TR200-L-S	50 Racks	48	28	40	7.8
200μL	1000 tips/Bag	Nature		LTS-TB200-L	10 Bags	46.5	26.5	27	3.5
Extended 200ul, 102 mm	96 tips/Rack	Nature	Common	LTS-TR200XL-S	50 Racks	49.5	28.5	65	12.5
Extended 200ul, 102 mm	96 tips/Rack	Nature	Ultra Low retention	LTS-TR200XL-L-S	50 Racks	49.5	28.5	65	12.5
300μL, CC Rack: for Manual Use	96 tips/Rack	Nature	Common	LTS-TR300-S	50 Racks	48	28	40	8.2
300μL	1000 tips/Bag	Nature		LTS-TB300	10 Bags	46.5	26.5	27	4.2
300μL, CC Rack: for Manual Use	96 tips/Rack	Nature	Ultra Low retention	LTS-TR300-L-S	50 Racks	48	28	40	8.2
300μL	1000 tips/Bag	Nature		LTS-TB300-L	10 Bags	46.5	26.5	27	4.2
1000μL, CC Rack: for Manual Use	96 tips/Rack	Nature	Common	LTS-TR1000-S	50 Racks	48	28	60.5	12.15
1000μL	1000 tips/Bag	Nature		LTS-TB1000	10 Bags	61	38	50	9.3
1000μL, CC Rack: for Manual Use	96 tips/Rack	Nature	Ultra Low retention	LTS-TR1000-L-S	50 Racks	48	28	60.5	12.15
1000μL	1000 tips/Bag	Nature		LTS-TB1000-L	10 Bags	61	38	50	9.3
1200μL, CC Rack: for Manual Use	96 tips/Rack	Nature	Common	LTS-TR1200-S	50 Racks	48	27.5	60.5	12.77
1200μL	1000 tips/Bag	Nature		LTS-TB1200	5 Bags	73	25	34.5	5.7
1200μL, CC Rack: for Manual Use	96 tips/Rack	Nature	Ultra Low retention	LTS-TR1200-L-S	50 Racks	48	27.5	60.5	12.77
1200μL	1000 tips/Bag	Nature		LTS-TB1200-L	5 Bags	73	25	34.5	5.7
5000μL / 5mL	24 tips/Rack	Nature	Common	LTS-TR5000-S	16 Racks	42.5	28.5	41	6.4
5000μL / 5mL	100 tips/Bag	Nature		LTS-TB5000	10 Bags	44	27	30	4.1
5000μL / 5mL	24 tips/Rack	Nature	Ultra Low retention	LTS-TR5000-L-S	16 Racks	42.5	28.5	41	6.4
5000μL / 5mL	100 tips/Bag	Nature		LTS-TB5000-L	10 Bags	44	27	30	4.1
10000μL / 10mL	24 tips/Rack	Nature	Common	LTS-TR10000-S	16 Racks	42.5	28.5	41	6.9
10000μL / 10mL	100 tips/Bag	Nature		LTS-TB10000	10 Bags	48.5	26	39.5	6.1
10000μL / 10mL	24 tips/Rack	Nature	Ultra Low retention	LTS-TR10000-L-S	16 Racks	42.5	28.5	41	6.9
10000μL / 10mL	100 tips/Bag	Nature		LTS-TB10000-L	10 Bags	48.5	26	39.5	6.1

Please kindly note

Rainin and LTS™ are trademarks of METTLER TOLEDO and Company or its affiliates.

Robotic Tips

For HA Liquid Handling Systems




















ORDER INFORMATION

Size	Compatiblity	Packaging	Cat.#	Qty / Case	Size / Case (CM)			Weight / Case(Kg)
					L	W	H	
50µL, Clear, with Filter	HA Liquid Handling Systems	96 x 5/Unit	AFT50HA5	12Units	49	34	44	5.95
50µL, Clear, Non-Filter	HA Liquid Handling Systems	96 x 5/Unit	AT50HA5	12Units	49	34	44	6.35
50µL, Conductive, with Filter	HA Liquid Handling Systems	96 x 5/Unit	AFT50HA5-C	12Units	49	34	44	5.85
50µL, Conductive, Non-Filter	HA Liquid Handling Systems	96 x 5/Unit	AT50HA5-C	12Units	49	34	44	6.25
300µL, Clear, with Filter	HA Liquid Handling Systems	96 x 5/Unit	AFT300HA5	12Units	49	34	44	6.85
300µL, Clear, Non-Filter	HA Liquid Handling Systems	96 x 5/Unit	AT300HA5	12Units	49	34	44	7.25
300µL, Conductive, with Filter	HA Liquid Handling Systems	96 x 5/Unit	AFT300HA5-C	12Units	49	34	44	6.75
300µL, Conductive, Non-Filter	HA Liquid Handling Systems	96 x 5/Unit	AT300HA5-C	12Units	49	34	44	7. 15
1000µL, Clear, with Filter	HA Liquid Handling Systems	96 x 5/Unit	AFT1000HA5	8Units	49	34	44	7.1
1000µL, Clear, Non-Filter	HA Liquid Handling Systems	96 x 5/Unit	AT1000HA5	8Units	49	34	44	7.5
1000µL, Conductive, with Filter	HA Liquid Handling Systems	96 x 5/Unit	AFT1000HA5-C	8Units	49	34	44	7
1000µL, Conductive, Non-Filter	HA Liquid Handling Systems	96 x 5/Unit	AT1000HA5-C	8Units	49	34	44	7.4

Robotic Tips

For TECAN
Liquid Handling Systems

Robotic tips for liquid handling and
flexible channel arms designed for TECAN liquid handling systems.
Filter & Non-fiter, Conductive & Clear tips are all available.



GenFollower®



















Robotic Tips

Robotic tips for TECAN


Size	Compatiblity	Packaging	Cat.#	Qty / Case	Size / Case (CM)			Weight / Case(Kg)
					L	W	H	
10μL, Clear, with Filter	Tecan Freedom EVO/ Fluent	96 tips/Rack	AFT10TC	24 Racks	56	31	17	4.05
10μL, Clear, Non-Filter	Tecan Freedom EVO/ Fluent	96 tips/Rack	AT10TC	24 Racks	56	31	17	3.55
10μL, Conductive, with Filter	Tecan Freedom EVO/ Fluent	96 tips/Rack	AFT10TC-C	24 Racks	56	31	17	4.05
10μL, Conductive, Non-Filter	Tecan Freedom EVO/ Fluent	96 tips/Rack	AT10TC-C	24 Racks	56	31	17	3.55
50μL, Clear, with Filter	Tecan Freedom EVO/ Fluent	96 tips/Rack	AFT50TC	24 Racks	56	31	17	4
50μL, Clear, Non-Filter	Tecan Freedom EVO/ Fluent	96 tips/Rack	AT50TC	24 Racks	56	31	17	3.95
50μL, Conductive, with Filter	Tecan Freedom EVO/ Fluent	96 tips/Rack	AFT50TC-C	24 Racks	56	31	17	4
50μL, Conductive, Non-Filter	Tecan Freedom EVO/ Fluent	96 tips/Rack	AT50TC-C	24 Racks	56	31	17	3.95
200μL, Clear, with Filter	Tecan Freedom EVO/ Fluent	96 tips/Rack	AFT200TC	24 Racks	56	31	17	4.25
200μL, Clear, Non-Filter	Tecan Freedom EVO/ Fluent	96 tips/Rack	AT200TC	24 Racks	56	31	17	4.2
200μL, Conductive, with Filter	Tecan Freedom EVO/ Fluent	96 tips/Rack	AFT200TC-C	24 Racks	56	31	17	4.25
200μL, Conductive, Non-Filter	Tecan Freedom EVO/ Fluent	96 tips/Rack	AT200TC-C	24 Racks	56	31	17	4.2
1000μL, Clear, with Filter	Tecan Freedom EVO/ Fluent	96 tips/Rack	AFT1000TC	24 Racks	56	31	24	5.55
1000μL, Clear, Non-Filter	Tecan Freedom EVO/ Fluent	96 tips/Rack	AT1000TC	24 Racks	56	31	24	5.5
1000μL, Conductive, with Filter	Tecan Freedom EVO/ Fluent	96 tips/Rack	AFT1000TC-C	24 Racks	56	31	24	5.55
1000μL, Conductive, Non-Filter	Tecan Freedom EVO/ Fluent	96 tips/Rack	AT1000TC-C	24 Racks	56	31	24	5.5

For TECAN MCA Liquid Handling Systems










ORDER INFORMATION

Size	Compatiblity	Packaging	Cat.#	Qty / Case	Size / Case (CM)			Weight / Case(Kg)
					L	W	H	
50μL, with Filter	Freedom EVO (MCA 96/384), Fluent (MCA 384)	96 tips/Rack	AFT50TM	50 Racks	48	34.5	28	9.95
50μL, Non-Filter	Freedom EVO (MCA 96/384), Fluent (MCA 384)	96 tips/Rack	AT50TM	50 Racks	48	34.5	28	9.7
200μL, with Filter	Freedom EVO (MCA 96/384), Fluent (MCA 384)	96 tips/Rack	AFT200TM	50 Racks	48	34.5	28	10.35
200μL, Non-Filter	Freedom EVO (MCA 96/384), Fluent (MCA 384)	96 tips/Rack	AT200TM	50 Racks	48	34.5	28	10.25

GenFollower®

For Zymark Liquid Handling Systems









ORDER INFORMATION

Size	Compatiblity	Packaging	Cat.#	Qty / Case	Size / Case (CM)			Weight / Case(Kg)
					L	W	H	
50μL, With Filter	for Zymark Liquid Handling Systems	96 tips/Rack	AFT50ZM	50Racks	48	34.5	28	9.95
50μL, Non-Filter	for Zymark Liquid Handling Systems	96 tips/Rack	AT50ZM	50 Racks	48	34.5	28	9.7
200μL, With Filter	for Zymark Liquid Handling Systems	96 tips/Rack	AFT200ZM	50 Racks	48	34.5	28	10.35
200μL, Non-Filter	for Zymark Liquid Handling Systems	96 tips/Rack	AT200ZM	50 Racks	48	34.5	28	10.25

Bravo automated liquid handling platform





ORDER INFORMATION

Size	Compatiblity	Packaging	Cat.#	Qty / Case	Size / Case (CM)			Weight / Case(Kg)
					L	W	H	
30μL, Non-Filter	for Agilent Liquid Handling Systems	384Tips/Rack	AT30AG	50 Racks	48	35	28	10.5

Robotic Tips

For OPENTRONS Liquid Handling Systems














Robotic tips for OPENTRONS

Size	Compatiblity	Packaging	Cat.#	Qty / Case	Size / Case (CM)			Weight / Case(Kg)
					L	W	H	
20μL, Filter	Opentrons Electronic Pipettes	96 tips/Rack	AFT20-OT	50 Racks	44.7	27.5	38.5	11.35
20μL, Non-Filter	Opentrons Electronic Pipettes	96 tips/Rack	AT20-OT	50 Racks	44.7	27.5	38.5	11.25
20μL, Non-Filter	Opentrons Electronic Pipettes	960 tips/Refill unit	AT20-OT-RS	10 Units	45.5	27	26.5	8.4
200μL, Filter	Opentrons Electronic Pipettes	96 tips/Rack	AFT200-OT	50 Racks	50	28.5	40.5	12.65
300μL, Non-Filter	Opentrons Electronic Pipettes	96 tips/Rack	AT300-OT	50 Racks	50	28.5	40.5	12.15
300μL, Non-Filter	Opentrons Electronic Pipettes	960 tips/Refill unit	AT300-OT-RS	10 Units	45.5	27	26.5	8.6
1000μL, Filter	Opentrons Electronic Pipettes	96 tips/Rack	AFT1000-OT	50 Racks	47.5	28.5	59.5	16.75
1000μL, Non-Filter	Opentrons Electronic Pipettes	96 tips/Rack	AT1000-OT	50 Racks	47.5	28.5	59.5	16.25
1000μL, Non-Filter	Opentrons Electronic Pipettes	480 tips/Refill unit	AT1000-OT-RS	10 Units	45.5	27	26.5	9

For BKM Liquid Handling Systems















Robotic tips for BKM

Size	Compatiblity	Packaging	Cat.#	Qty / Case	Size / Case (CM)			Weight / Case(Kg)
					L	W	H	
20μL, Filter	BKM Coulter Biomek 3000	96 tips/Rack	AFT20BK	50 Racks	46	27	35.5	8.1
20μL, Non-Filter	BKM Coulter Biomek 3000	96 tips/Rack	AT20BK	50 Racks	46	27	35.5	8
50μL, Filter	BKM Coulter Biomek 3000	96 tips/Rack	AFT50BK	50 Racks	46	27	35.5	8.3
50μL, Non-Filter	BKM Coulter Biomek 3000	96 tips/Rack	AT50BK	50 Racks	46	27	35.5	8.2
250μL, Filter	BKM Coulter Biomek 3000	96 tips/Rack	AFT250BK	50 Racks	46	27	35.5	8.5
250μL, Non-Filter	BKM Coulter Biomek 3000	96 tips/Rack	AT250BK	50 Racks	46	27	35.5	8.4

Robotic Tips

For Dynex Elisa Systems






Robotic Tips for Dynex

Size	Compatiblity	Packaging	Cat.#	Qty / Case	Size / Case (CM)			Weight / Case(Kg)
					L	W	H	
300µL, Non-Filter	DS2®System, DSX® System	108 Tips/Rack	AT300DX	48 Racks/Case	60	37	40	13.28
1300µL, Non-Filter	DS2®System, DSX® System	108 Tips/Rack	AT1300DX	48 Racks/Case	60	37	40	15.30

Please kindly note Dynex®, DSX® and DS2® are registered trademarks of Dynex Technologies.



Syringe Filters

- Delivers high consistency to ensure reliable performance with every use.
- High flow rate and throughput, ideal for HPLC sample preparation.
- PES, Nylon and CA membrane are available.
- Housing withstands pressure up to 87 psi.

SF012220, SF012235



PES, 0.45 µm

SF022220, SF022235



Nylon, 0.45 µm

SF032220, SF032235



CA, 0.45 µm

SF012120, SF012135



PES, 0.22 µm

SF022120, SF022135



Nylon, 0.22 µm

SF032120, SF032135





CA, 0.22 µm


ORDER INFORMATION


Material	Color	Pore Size(µm)	Diameter	Packaging	Cat.#	Quantity per Case	Size / Case (CM)			Weight / Case(Kg)
							L	W	H	
PES membrane	Light blue	0.22	25 mm	50 pcs/box	SF012135	20 boxes/case	51.5	43.5	28	6.8
PES membrane	Light blue	0.22	25 mm	100 pcs/container	SF012120	50 containers/case	52.5	52.5	37	18.7
PES membrane	Dark blue	0.45	25 mm	50 pcs/box	SF012235	20 boxes/case	51.5	43.5	28	6.8
PES membrane	Dark blue	0.45	25 mm	100 pcs/container	SF012220	50 containers/case	52.5	52.5	37	18.7
Nylon membrane	Light green	0.22	25 mm	50 pcs/box	SF022135	20 boxes/case	51.5	43.5	28	6.8
Nylon membrane	Light green	0.22	25 mm	100 pcs/container	SF022120	50 containers/case	52.5	52.5	37	18.7
Nylon membrane	Dark green	0.45	25 mm	50 pcs/box	SF022235	20 boxes/case	51.5	43.5	28	6.8
Nylon membrane	Dark green	0.45	25 mm	100 pcs/container	SF022220	50 containers/case	52.5	52.5	37	18.7
CA membrane	Light yellow	0.22	25 mm	50 pcs/box	SF032135	20 boxes/case	51.5	43.5	28	6.8
CA membrane	Light yellow	0.22	25 mm	100 pcs/container	SF032120	50 containers/case	52.5	52.5	37	18.7
CA membrane	Dark yellow	0.45	25 mm	50 pcs/box	SF032235	20 boxes/case	51.5	43.5	28	6.8
CA membrane	Dark yellow	0.45	25 mm	100 pcs/container	SF032220	50 containers/case	52.5	52.5	37	18.7


Deep Well Plates

















Deep well plates

Size	Type	Number of wells	Packaging	Cat.#	Qty / Case	Size / Case (CM)			Weight / Case(Kg)
						L	W	H	
120μL	Square well, V bottom	384	10PCS/Bag	DW00005	100PCS	45	28	25	7.80
240μL	Square well, V bottom	384	10PCS/Bag	DW00029	50PCS	46	28	14	5.00
0.36mL	Round well, V bottom	96	10PCS/Bag	DW00024	100PCS	46	28	20	4.33
0.40mL	Round well, U bottom	96	10PCS/Bag	DW00025	100PCS	46	28	20	4.41
0.40mL	Round well, flat bottom	96	10PCS/Bag	DW00026	100PCS	46	28	20	4.94
0.45mL	Round well, V bottom	96	10PCS/Bag	DW00028	100PCS	46	28	20	4.08
0.50mL	Round well, U bottom	96	10PCS/Bag	DW00027	100PCS	46	28	20	4.31
1.0mL	Square well, U bottom	96	10PCS/Bag	DW00018	100PCS	48.5	30	26	6.55
1.2mL	Square well, V bottom	96	10PCS/Bag	DW00006	100PCS	45	28	25	6.50
1.2mL	Square well, U bottom	96	10PCS/Bag	DW00013	50PCS	46	28	14	3.00
1.2mL	Round well, U bottom	96	10PCS/Bag	DW00014	100PCS	44	27	30	6.50
1.3mL	Round well, U bottom	96	5PCS/Bag	DW00015	50PCS	46	28	18	4.39
1.3mL	Round well, V bottom	96	5PCS/Bag	DW00023	50PCS	48.5	30	26	6.32
1.6mL	Square well, U bottom	96	5PCS/Bag	DW00019	50PCS	46	28	20	4.60
1.6mL	Square well, V bottom	96	5PCS/Bag	DW00020	50PCS	46	28	20	5.69
2.0mL	Round well, U bottom	96	5PCS/Bag	DW00010	50PCS	48.5	30	26	6.45
2.2mL	Square well, Conical bottom	96	5PCS/Bag	DW00008	50PCS	44	27	24	5.00
2.2mL	Square well, V bottom	96	5PCS/Bag	DW00009	50PCS	44	27	24	5.55
2.2mL	Square well, U bottom	96	5PCS/Bag	DW00011	50PCS	44	27	24	5.55
2.2mL	Square well, U bottom	96	5PCS/Bag	DW00016	50PCS	48.5	30	26	5.50
2.3mL	Square well, diamond-shaped bottom	96	5PCS/Bag	DW00021	50PCS	48.5	30	26	5.70
4.6mL	Square well, U bottom	48	5PCS/Bag	DW00030	50PCS	48.5	30	26	10.33
5.0mL	Rectangle Well, V bottom	48	5PCS/Bag	DW00007	50PCS	44	27	24	5.00
10.0mL	Square well, conical bottom	24	5PCS/Bag	DW00031	50PCS	44	27	24	3.75
10.0mL	Square well, U bottom	24	5PCS/Bag	DW00032	50PCS	48.5	30	26	4.66
15.0mL	Square well, conical bottom	24	5PCS/Bag	DW00033	50PCS	44	27	30	5.92

Tip Combs






Tip Combs

Type	Compatibility	Packaging	Cat.#	Qty / Case	Size / Case (CM)			Weight / Case(Kg)
					L	W	H	
96 Tip Comb	96 well deep well plates, Kingfisher Flex	2 PCS/Bag	DKT0096	25 Bags/Case	54	34	16	3.85
8 Tip Comb	96 well deep well plates, EXM3000	2 PCS/Bag	DKT1008	240 Bags/Case	44.7	27.5	38.5	4.00
8 Tip Comb	96 well deep well plates, VNP-32	2 PCS/Bag	DKT2008	250 Bags/Case	56	31	24	3.75
8 Tip Comb	96 well deep well plates, TIANLONG GeneRotex 96	1 Set/Bag	MC00001	450 Bags/Case	32	42	48	6.00

Sealing Mats





GenFollower®



ORDER INFORMATION

Type	Cat.#	Quantity per Case	Size / Case (CM)			Weight / Case(Kg)
			L	W	H	
For 24 square well	SSM00008	10 PCS/Bag, 10 Bags/Case	21	21	20	3.65
For 48 square well, Axygen type	SSM00009	10 PCS/Bag, 10 Bags/Case	21	21	20	3.35
For 96 square well, Axygen type	SSM00004	10 PCS/Bag, 10 Bags/Case	21	21	20	3.6
For 96 round well, Axygen type, pre-slit '+' opening, pierceable	SSM00006	10 PCS/Bag, 10 Bags/Case	21	21	20	2.6
For 96 round well, Axygen type, pre-slit '–' opening, pierceable	SSM00007	10 PCS/Bag, 10 Bags/Case	21	21	20	2.55
For 96 square well, pierceable	SSM00005	10 PCS/Bag, 10 Bags/Case	21	21	20	3.3
For 96 square well, pre-slit '+' opening, pierceable	SSM00001	10 PCS/Bag, 10 Bags/Case	21	21	20	3.1
For 96 round well, pre-slit '+' opening, pierceable	SSM00002	10 PCS/Bag, 10 Bags/Case	21	21	20	2.65
For 384 square well, pre-slit '+' opening, pierceable	SSM00003	10 PCS/Bag, 10 Bags/Case	21	21	20	2.25

COMPATIBILITY CHART


Well Plates/Sealing Mats		SSM00001	SSM00002	SSM00003	SSM00004	SSM00005	SSM00006	SSM00007	SSM00008	SSM00009
96 square well plates	DW00016; DW00018; DW00006; DW00013; DW00019; DW00020; DW00008; DW00009; DW00011; DW00012; DW00021	√			√	√				
96 round well plates, shared-wall	DW00010; DW00014; DW00015; DW00027; DW00028		√					√		
96 round well plates, individual wall	DW00024; DW00025; DW00026						√			
384 square well plates	DW00005; DW00029			√						
48 square well plates	DW00030; DW00007									√
24 square well plates	DW00031; DW00032; DW00033								√	

ELISA Plates

- Flat bottom, U bottom, V bottom are available .
- SBS/ANSI footprint could work with many brands of automatic working station.
- Detachable plate is convenient for researchers to transfer sample for different treatment.

Detachable Plates


EP00001H / EP00001M




EP00006H



EP00004H / EP00004M




EP00003H / EP00003M




EP00005H / EP00005M



EP00007H / EP00007M



EP00008H / EP00008M



EP00009H / EP00009M




Detachable Plates


Size	Color	Type	Material	Sterile	Cat.#	Quantity per Case	Size / Case (CM)			Weight / Case(Kg)
							L	W	H	
0.2mL x 96, C-shaped flat bottom, 8-well detachable strips	Clear	high binding	PS	No	EP00001H	10 PCS/Bag, 10 Bags/Case	50	31	16	6
		medium binding	PS	No	EP00001M	10 PCS/Bag, 10 Bags/Case	50	31	16	6
0.2mL x 96, flat bottom, 8-well detachable strips	Clear	high binding	PS	No	EP00006H	10 PCS/Bag, 10 Bags/Case	50	31	16	6
Corning style 0.2mL x 96, flat bottom, 8-well detachable strips	Clear	medium binding	PS	No	EP00004M	10 PCS/Bag, 10 Bags/Case	50	30.6	16	5.4
		high binding	PS	No	EP00004H	10 PCS/Bag, 10 Bags/Case	50	30.6	16	5.4
	White	medium binding	PS	No	EP00003M	10 PCS/Bag, 10 Bags/Case	50	30.6	16	5.4
		high binding	PS	No	EP00003H	10 PCS/Bag, 10 Bags/Case	50	30.6	16	5.4
	Black	medium binding	PS	No	EP00005M	10 PCS/Bag, 10 Bags/Case	50	30.6	16	5.4
		high binding	PS	No	EP00005H	10 PCS/Bag, 10 Bags/Case	50	30.6	16	5.4
0.2mL x 96, flat bottom, 12-well detachable strips	Clear	medium binding	PS	No	EP00007M	10 PCS/Bag, 10 Bags/Case	50	30.6	16	5.4
		high binding	PS	No	EP00007H	10 PCS/Bag, 10 Bags/Case	50	30.6	16	5.4
	White	medium binding	PS	No	EP00008M	10 PCS/Bag, 10 Bags/Case	50	30.6	16	5.4
		high binding	PS	No	EP00008H	10 PCS/Bag, 10 Bags/Case	50	30.6	16	5.4
	Black	medium binding	PS	No	EP00009M	10 PCS/Bag, 10 Bags/Case	50	30.6	16	5.4
		high binding	PS	No	EP00009H	10 PCS/Bag, 10 Bags/Case	50	30.6	16	5.4

Undetachable Plates


EP00011M / EP60011M/EP00011H/EP60011H



EP00012M / EP60012M/EP00012H/EP60012H



EP00002M / EP60002M/EP00002H/EP60002H



EP00013M / EP60013M/EP00013H/EP60013H




EP00010M / EP60010M/EP00010H/EP60010H




lid for 96-well undetachable plates



EP00014M / EP60014M/EP00014H/EP60014H




EP00015M / EP60015M/EP00015H/EP60015H



EP00016M / EP60016M/EP00016H/EP60016H



lid for 384-well undetachable plates



Undetachable Plates

Size	Color	Type	Sterile	Material	Cat.#	Quantity per Case	Size / Case (CM) L	W	H	Weight / Case(Kg)
340uL x 96, U bottom	Clear	without lid, medium binding	No	PS	EP00011M	10 PCS/Bag, 10 Bags/Case	50	30.6	16	5.8
		with lid, medium binding	No	PS	EP60011M	10 PCS/Bag, 10 Bags/Case	50	30.6	16	6.9
		without lid, high binding	Yes	PS	EP00011H	10 PCS/Bag, 10 Bags/Case	50	30.6	16	5.8
		with lid, high binding	Yes	PS	EP60011H	10 PCS/Bag, 10 Bags/Case	50	30.6	16	6.9
300uL x 96, V bottom	Clear	without lid, medium binding	No	PS	EP00012M	10 PCS/Bag, 10 Bags/Case	50	30.6	16	5.8
		with lid, medium binding	No	PS	EP60012M	10 PCS/Bag, 10 Bags/Case	50	30.6	16	7.52
		without lid, high binding	Yes	PS	EP00012H	10 PCS/Bag, 10 Bags/Case	50	30.6	16	5.8
		with lid, high binding	Yes	PS	EP60012H	10 PCS/Bag, 10 Bags/Case	50	30.6	16	7.52
350uL x 96, flat bottom	Clear	without lid, medium binding	No	PS	EP00002M	10 PCS/Bag, 10 Bags/Case	50	30.6	16	5.8
		with lid, medium binding	No	PS	EP60002M	10 PCS/Bag, 10 Bags/Case	50	30.6	16	7.52
		without lid, high binding	Yes	PS	EP00002H	10 PCS/Bag, 10 Bags/Case	50	30.6	16	5.8
		with lid, high binding	Yes	PS	EP60002H	10 PCS/Bag, 10 Bags/Case	50	30.6	16	7.52
	White	without lid, medium binding	No	PS	EP00013M	10 PCS/Bag, 10 Bags/Case	50	30.6	16	6.33
		with lid, medium binding	No	PS	EP60013M	10 PCS/Bag, 10 Bags/Case	50	30.6	16	8.05
		without lid, high binding	Yes	PS	EP00013H	10 PCS/Bag, 10 Bags/Case	50	30.6	16	6.33
		with lid, high binding	Yes	PS	EP60013H	10 PCS/Bag, 10 Bags/Case	50	30.6	16	8.05
	Black	without lid, medium binding	No	PS	EP00010M	10 PCS/Bag, 10 Bags/Case	50	30.6	16	5.8
		with lid, medium binding	No	PS	EP60010M	10 PCS/Bag, 10 Bags/Case	50	30.6	16	7.52
		without lid, high binding	Yes	PS	EP00010H	10 PCS/Bag, 10 Bags/Case	50	30.6	16	5.8
		with lid, high binding	Yes	PS	EP60010H	10 PCS/Bag, 10 Bags/Case	50	30.6	16	7.52
130uL x 384, flat bottom	Clear	without lid, medium binding	No	PS	EP00014M	10 PCS/Bag, 10 Bags/Case	50	30.6	16	7.03
		with lid, medium binding	No	PS	EP60014M	10 PCS/Bag, 10 Bags/Case	50	30.6	16	8.67
		without lid, high binding	Yes	PS	EP00014H	10 PCS/Bag, 10 Bags/Case	50	30.6	16	7.03
		with lid, high binding	Yes	PS	EP60014H	10 PCS/Bag, 10 Bags/Case	50	30.6	16	8.67
	White	without lid, medium binding	No	PS	EP00015M	10 PCS/Bag, 10 Bags/Case	50	30.6	16	7.62
		with lid, medium binding	No	PS	EP60015M	10 PCS/Bag, 10 Bags/Case	50	30.6	16	9.26
		without lid, high binding	Yes	PS	EP00015H	10 PCS/Bag, 10 Bags/Case	50	30.6	16	7.62
		with lid, high binding	Yes	PS	EP60015H	10 PCS/Bag, 10 Bags/Case	50	30.6	16	9.26
	Black	without lid, medium binding	No	PS	EP00016M	10 PCS/Bag, 10 Bags/Case	50	30.6	16	7.04
		with lid, medium binding	No	PS	EP60016M	10 PCS/Bag, 10 Bags/Case	50	30.6	16	8.68
		without lid, high binding	Yes	PS	EP00016H	10 PCS/Bag, 10 Bags/Case	50	30.6	16	7.04
		with lid, high binding	Yes	PS	EP60016H	10 PCS/Bag, 10 Bags/Case	50	30.6	16	8.68

GenFollower®

Centrifuge Tubes

Maximum to 12,000 xg

- We currently supply 5 types of screw cap centrifuge tubes to meet various needs.

1. Achieve a maximum centrifugal force of up to 12,000xg or 16,000xg.
2. Clear graduations ensure accuraty of samples.
3. Highly visible marking areas make it easy to distinguish and classify samples.
4. Keeping statement of Dnase, Rnase and pyrogenic free.

15mL centrifuge tube

B-CTB15YE | B-CTB15YE-AM



Bag packaging



Plastic foam rack / Paper rack packaging

25mL centrifuge tube

CTB25BL



Bag packaging



Plastic foam rack / Paper rack packaging

50mL centrifuge tube

B-CTB50YE | B-2SCTB50YE | B-SCTB50YE | B-CTB50YE-AM



Bag packaging



Plastic foam rack / Paper rack packaging

ORDER INFORMATION

Size	Type	Color of cap	Cat.#	Packaging	Quantity per Case	Size / Case (CM) L	W	H	Weight / Case(Kg)
15mL	Conical	Yellow	B-CTB15YE	25 PCS/Bag	20 Bags/Case	44	27	24	4.05
15mL	Conical	Yellow	B-CTF15YE	50 PCS/Rack	10 Racks/Case	44.7	27.5	38.5	4.40
15mL, amber	Conical	Yellow	B-CTB15YE-AM	25 PCS/Bag	20 Bags/Case	44	27	24	4.05
15mL, amber	Conical	Yellow	B-CTF15YE-AM	50 PCS/Rack	10 Racks/Case	44.7	27.5	38.5	4.40
25mL	Conical	Blue	CTB25BL	25 PCS/Bag	8 Bags/Case	38.5	29.5	21.5	2.50
25mL	Conical	Blue	CTF25BL	25 PCS/Rack	8 Racks/Case	32	26	34.5	2.70
50mL	Conical	Yellow	B-CTB50YE	25 PCS/Bag	20 Bags/Case	55	32	46	7.75
50mL	Conical	Yellow	B-CTF50YE	25 PCS/Rack	20 Racks/Case	60	42	39	8.50
50 mL, amber	Conical	Yellow	B-CTB50YE-AM	25 PCS/Bag	20 Bags/Case	55	32	46	7.75
50 mL, amber	Conical	Yellow	B-CTF50YE-AM	25 PCS/Rack	20 Racks/Case	60	42	39	8.50
50mL, round skirt	Self-standing	Yellow	B-2SCTB50YE	25 PCS/Bag	20 Bags/Case	55	32	46	8.35
50mL, eight-sided skirt	Self-standing	Yellow	B-SCTB50YE	25 PCS/Bag	20 Bags/Case	55	32	46	8.35

Micro Centrifuge Tubes

- All micro centrifuge tubes are made of polypropylene.
- The maximum speed is 25,000 xg.
- Flap caps are attached to open and close conveniently.
- Tubes with a frosted writing area on the flat cap and the tube.
- Meanwhile, clear graduation on the tube for easier observation.
- All tubes are certfied to be autoclavable at +121℃.

Micro Centrifuge Tubes

MCTB005



MCTB020



MCTB050



MCTB015



MCTB215



replacement for Hyundai Micro 104004, H23015, narrow cap

Maximum to 25,000 xg

CAP LOCK

CL15



CL25



TUBES WITH SAFETY LOCK

LMTB015



LMTB020



LMTB050



LMTB051



replacement for Eppendorf 0030119401, 0030119460, 0030119487, 0030119479

TUBES WITHOUT SAFETY LOCK


NCMT015



NCMT020



NCMT220





MICRO CENTRIFUGE TUBES

Size	Color	Class	Cat.#	Quantity per Case	Size / Case (CM) L	W	H	Weight / Case(Kg)
0.5mL	Nature	Common	MCTB005	1000 PCS/Bag, 10 Bags/Case	49	42	28	5.65
0.5mL	Nature	Ultra Low retention	MCTB005-R	1000 PCS/Bag, 10 Bags/Case	49	42	28	5.65
0.5mL	5 colors Mixed	Common	MCTB005X	1000 PCS/Bag, 10 Bags/Case	49	42	28	5.65
1.50mL	Nature	Common	MCTB015	500 PCS/Bag, 10 Bags/Case	49	42	28	6.1
1.50mL	Nature	Ultra Low retention	MCTB015-R	500 PCS/Bag, 10 Bags/Case	49	42	28	6.1
1.50mL	5 colors Mixed	Common	MCTB015X	500 PCS/Bag, 10 Bags/Case	49	42	28	6.1
1.50mL, Hyundai Micro Style, narrow cap	Nature	Common	MCTB215	500 PCS/Bag, 10 Bags/Case	49	42	28	6.0
2.0mL	Nature	Common	MCTB020	500 PCS/Bag, 10 Bags/Case	49	42	28	6.1
2.0mL	Nature	Ultra Low retention	MCTB020-R	500 PCS/Bag, 10 Bags/Case	49	42	28	6.1
2.0mL	5 colors mixed	Common	MCTB020X	500 PCS/Bag, 10 Bags/Case	49	42	28	6.1
5.0mL Best selling!	Nature	Common	MCTB050	200 PCS/Bag, 10 Bags/Case	53.5	31	48	7.8
5.0mL	4 colors Mixed	Common	MCTB050X	200 PCS/Bag, 10 Bags/Case	53.5	31	48	7.8

TUBES WITH SAFTY LOCK

Size	Color	Class	Cat.#	Quantity per Case	Size / Case (CM) L	W	H	Weight / Case(Kg)
1.50mL	Nature	Common	LMTB015	500 PCS/Bag, 10 Bags/Case	49	42	28	5.95
2.0mL	Nature	Common	LMTB020	500 PCS/Bag, 10 Bags/Case	49	42	28	6.75
5.0mL	Nature	Common	LMTB050	300 PCS/Bag, 15 Bags/Case	61	38	50	15.55
5.0mL, Eppendorf style	Nature	Common	LMTB051	200 PCS/Bag, 10 Bags/Case	49	42	28	8

TUBES WITHOUT CAPS

Size	Color	Class	Cat.#	Quantity per Case	Size / Case (CM) L	W	H	Weight / Case(Kg)
1.5mL, graduated	Nature	Common	NCMT015	500 PCS/Bag, 10 Bags/Case	48.5	30	26	3.85
2.0mL	Nature	Common	NCMT020	500 PCS/Bag, 10 Bags/Case	49	42	28	6
2.0mL, graduated, Axygen style	Nature	Common	NCMT220	500 PCS/Bag, 10 Bags/Case	49	42	28	5

CAP LOCK

Fit for	Color	Class	Cat.#	Quantity per Case	Size / Case (CM) L	W	H	Weight / Case(Kg)
For 1.50mL tube	Light blue	Common	CL15	25 PCS/Bag, 200 Bags/Case	42	42	24	4.1
For 5.0mL tube	Light blue	Common	CL25	25 PCS/Bag, 200 Bags/Case	52	37	38	5.7

Please kindly note: other colors available if catalog number followed color code, YE = yellow, BL=blue, PK = pink, PU =purple, GR = green. It means MCTB015YE is yellow 1.5mL micro centrifuge tubes.


GenFollower®

Racks For Tubes & Vials


121°C

- Made in PP, PC or HIPS material.
- PP racks offer excellent chemical resistance and stability. Autoclavable for routine sterilisation.
- HIPS racks provide greater toughness and a smooth surface finish. Not suitable for autoclaving.
- PC racks are durable.
- Suitable for routine laboratory operations where many test tubes are handled.


RMCT2




RMCT15




RTM0001



RTM0001



RTM0001




RT00001



RT00002




RT00003




RT00004




RT00006




RT00007




RT00008



RT00010



RT00011



RT00009



ORDER INFORMATION

Type	Number of wells	Color	Material	Cat.#	Qty / Case	Size / Case (CM)			Weight / Case(Kg)
						L	W	H	
For 1.5mL / 2.0mL	50	Orange	PP	RMCT2	50 PCS	45	28.5	24.5	5.25
For 5.0mL / 15mL	50	Orange	PC	RMCT15	50 PCS	54	32	58	12.25
4-way, for 0.2mL/2.0mL/15mL/50mL	96/32/12/4	Green/Blue/Purple	PP	RTM0001	50 PCS	54	31	28.5	7.30
Double-sided, for 0.5mL/1.5mL/2.0mL	24/24	Orange	PP	RT00001	100 PCS	46	28	14	7.1
Double-sided, for 0.5mL/1.5mL/2.0mL	32/32	Blue	PP	RT00002	100 PCS	56	31	17	9.6
Double-sided, for 0.5mL/1.5mL/2.0mL	40/55	Orange	PP	RT00003	100 PCS	44.7	27.5	38.5	16.7
Double-sided, for 0.5mL/1.5mL/2.0mL	60/60	Orange	PP	RT00004	100 PCS	44.7	27.5	38.5	14.2
Double-sided, for 0.1mL/0.2mL/1.5mL/2.0mL	80/60	Orange	PP	RT00006	100 PCS	44.7	27.5	38.5	13.1
Double-sided, for 0.5mL/1.5mL/2.0mL	96/96	Blue	PP	RT00007	100 PCS	55	32	46	21.4
For 15mL	50	Orange	PP	RT00008	50 PCS	44.7	27.5	38.5	5.6
For 5mL/15mL/25mL/50mL	50	Orange	HIPS	RT00010	100 PCS	52.5	48	28	15.6
For 5mL/15mL/25mL/50mL	28	Orange	HIPS	RT00011	100 PCS	54	31	31	9.1
For 0.1mL/0.2 mL, for PCR	96	Yellow	PP	RT00009	200 PCS	52.5	48	28	11.82

Compatibility with GenFollower® Tubes

Tubes / Racks		RT00001	RT00002	RT00003	RT00004	RT00006	RT00007
Microcentrifuge tubes 0.5/1.5/2.0mL	MCTB020	●	●	●	●	●	●
	MCTB015	●	●	●	●	●	●
	MCTB005	●	●	●	●		●
	MCTB215	●	●	●	●	●	●
	LMTB015	●	●	●	●	●	●
	LMTB020	●	●	●	●	●	●
	NCMT015	●	●	●	●	●	●
	NCMT020	●	●	●	●	●	●
	NCMT220	●	●	●	●	●	●
PCR single tubes 0.1/0.2/0.5mL	PCR005	●	●	●	●		●
	PCR002FG					●	
	PCR002F					●	
	PCR002D					●	
	PCR001FG					●	

Compatibility with GenFollower® Tubes

Tubes/Racks		RT00009
PCR single tubes 0.1/0.2mL	PCR002FG	●
	PCR002F	●
	PCR002D	●
	PCR001FG	●
PCR 12 tubes strips	B12RT-02N	●
	B12RT-02W	●
	B12LT-01N	●
	B12LT-01W	●
PCR 8 tubes strips	B8RT-02N	●
	B8RT-02W	●
	B8LT-01N	●
	B8LT-01W	●
	PCR8WC-02TN	●
	PCR8WC-02BN	●
	PCR8WC-02N	●
Axygen style PCR 8 tubes strips	A8RT-02N	●
	A8RT-02W	●
	A8LT-01N	●
	A8LT-01W	●

Tubes / Racks		RT00008	RT00010	RT00011
Centrifuge tubes 15/25/50mL	B-CTB15	●	●	●
	CTB25		●	●
	B-CTB50		●	●
	B-SCTB50		●	●
	B-2SCTB50		●	●
Microcentrifuge tubes 5mL	MCTB050		●	●
	LMTB050		●	●
	LMTB051		●	●

GenFollower®

Petri Dishes

- Made of original quality PS.
- Flat bottom for culture bacterials.

90 × 15mm



90 × 15mm, 3 compartments



90 × 15mm, Single-compartment



90 × 15mm, 4 compartments



90 × 15mm, 2 compartments



ORDER INFORMATION

Type	Material	Packaging	Qty/Case	Cat.#	Size / Case (CM) L	W	H	Weight / Case(Kg)
90 x 15mm	PS	10PCS/Bag	20 Bags/Case	PD00009	48	38.5	18	4.10
90 × 15mm, Single-compartment	PS	10PCS/Bag 20PCS/Bag	50 Bags/Case 25 Bags/Case	PD00059 PD00259	49.5	49.5	36.5	9.25
90 × 15mm, 2 compartments	PS	10PCS/Bag 20PCS/Bag	50 Bags/Case 25 Bags/Case	PD20059 PD20259	49.5	49.5	36.5	9.40
90 × 15mm, 3 compartments	PS	10PCS/Bag 20PCS/Bag	50 Bags/Case 25 Bags/Case	PD30059 PD30259	49.5	49.5	36.5	9.50
90 × 15mm, 4 compartments	PS	10PCS/Bag 20PCS/Bag	50 Bags/Case 25 Bags/Case	PD40059 PD40259	49.5	49.5	36.5	9.65

Screw Cap Culture Tubes

- Our patented screw cap design prevents liquid splashing and ensures safe centrifugation.
- The white writing area and flat cap provide a convenient space for clear marking and labeling.
- Clear graduations ensure precise liquid transfer.
- These tubes support both aerobic and anaerobic cultures.


STBP05, PP




STBS05, PS



STBP12, PP



STBS12, PS




ORDER INFORMATION

Capacity	Material	Packaging	Cat.#	Quantity per Case	Size / Case (CM)			Weight / Case(Kg)
					L	W	H	
5mL	PP	25 Tubes/Bag	STBP05	20 Bags/Case (25 Tubes/Bag, 20 Bags/Case)	31	20.5	20	2
5mL	PS	25 Tubes/Bag	STBS05	20 Bags/Case (25 Tubes/Bag, 20 Bags/Case)	31	20.5	20	2.05
5mL	PP	50 Tubes/Rack	STFP05	10 Racks/Case (50 Tubes/Rack, 10 Racks/Case)	31	28	20	2.05
5mL	PS	50 Tubes/Rack	STFS05	10 Racks/Case (50 Tubes/Rack, 10 Racks/Case)	31	28	20	2.1
12mL	PP	25 Tubes/Bag	STBP12	20 Bags/Case (25 Tubes/Bag, 20 Bags/Case)	37	25	28	4
12mL	PS	25 Tubes/Bag	STBS12	20 Bags/Case (25 Tubes/Bag, 20 Bags/Case)	37	25	28	4.05
12mL	PP	50 Tubes/Rack	STFP12	10 Racks/Case (50 Tubes/Rack, 10 Racks/Case)	41	36	25	4.4
12mL	PS	50 Tubes/Rack	STFS12	10 Racks/Case (50 Tubes/Rack, 10 Racks/Case)	41	36	25	4.45



Cell Scrapers & Lifters

GD00018



GD00025



GD00235



GD00030



Cell Scrapers

- Blades are made of special TPE the Blade could be adjusted to fit any angle in the petri dishes, helps reseachers collect cells as more as possible.
- Customized packaging is available.
- Rnase and DNase free, No Human DNA, endotoxin free.

Cell Lifters

- Made of quality PP clear and straight blades greatly avoid damage to cells during lifting.
- Wider blade could increase efficiency, save precious time of researchers.
- The improved angle of blade could avoid crowd to cells during the operation.
- Customized packaging is available.
- Rnase and DNase free, No Human DNA, endotoxin free.

CD00018



CD00215



CELL SCRAPERS

Material	Total Length	Length of blade	Packaging	Cat.#	Quantity per Case	Size / Case (CM)			Weight / Case(Kg)
						L	W	H	
Handle is PP, blade is TPE	180mm	19mm	Individual	GD00018	400 PCS/Case (100 PCS/Bag, 4 Bags/Case)	31	28	20	2.9
Handle is PP, blade is TPE	250mm	19mm	Individual	GD00025	200PCS/Case (100 PCS/Bag, 2 Bags/Case)	31	20.5	20	2.1
Handle is PP, blade is TPE	235mm	13mm	Individual	GD00235	200PCS/Case (100 PCS/Bag, 2 Bags/Case)	31	28	20	3.6
Handle is PP, blade is TPE	300mm	20mm	Individual	GD00030	200PCS/Case (100 PCS/Bag, 2 Bags/Case)	38	31	16	2.98

CELL LIFTERS

Type	Total Length	Length of blade	Packaging	Cat.#	Quantity per Case	Size / Case (CM)			Weight / Case(Kg)
						L	W	H	
Single blade	180mm	18.5mm	Individual	CD00018	400PCS/Case (100 PCS/Bag, 4 Bags/Case)	31	28	20	4
Double blade	215mm	23mm and 12mm	Individual	CD00215	200PCS/Case (100 PCS/Bag, 2 Bags/Case)	31	20.5	20	2.1

Please kindly note

Packaging quantity could be customized, such as 10PCS/Bag or 25 PCS/Bag.
Please contact us if you have such different requirements.


Cell Spreaders

- 2 types of cell spreaders available: "L" and "T" shape.
- Both spreaders are made of quality HIPS.
- Extremely smooth of the surface.
- Individual packaging, pre-sterilized, DNase free, RNase free, endotoxin free, No human DNA.

TG00148



TG00182



ORDER INFORMATION

Type	Total Length	Width for spread	Packaging	Cat.#	Quantity per Case	Size / Case (CM)			Weight / Case(Kg)
						L	W	H	
L shape	148mm	30mm	Individual	TG00148	2000PCS/Case (100 PCS/Bag, 20 Bags/Case)	60	37	40	10.3
T shape	182mm	32mm	Individual	TG00182	2000PCS/Case (100 PCS/Bag, 20 Bags/Case)	60	37	40	9.8

Please kindly note: Packaging quantity could be customized, such as 10PCS/Bag or 25 PCS/Bag. Please contact us if you have such different requirements.

Inoculating Loops & Needles

- Made of HIPS .
- Special smooth surface helps protect cells during operation.
- The handle is soft to fit different shape of containers.

LH20210

Individual package



LH19901

Individual package



CZ00001

Individual package





ORDER INFORMATION


Size	Total Length	Color	Packaging	Cat.#	Quantity per Case	Size / Case (CM)			Weight / Case(Kg)
						L	W	H	
Needle	228mm	White	Individual	CZ00001	500PCS/Case (10 PCS/Bag, 50 Bags/Case)	38	31	16	1.9
10μL	202mm	Yellow	Individual	LH20210	500PCS/Case (10 PCS/Bag, 50 Bags/Case)	31	28	20	1.77
1μL	199mm	Blue	Individual	LH19901	500PCS/Case (10 PCS/Bag, 50 Bags/Case)	31	28	20	1.75


Please kindly note: Packaging quantity could be customized, such as 10PCS/Bag or 25 PCS/Bag. Please contact us if you have such different requirements.

Serological Pipettes


- Easily identified with color code
- Cotton plugged for safety
- Individual wrapped
- Optical-grade polystyrene (PS)
- Accury: ±2%
- Sterile, non-Pyrogenic, free of DNA, DNase, RNase

YSPS01-1






YSPS02-1






YSPS05-1






YSPS10-1






YSPS25-1





YSPS50-1





ORDER INFORMATION

Size	Packaging	Min. graduation	Color	Cat.#	Quantity per Case	Size / Case (CM)			Weight / Case(Kg)
						L	W	H	
1mL	300 PCS/Box	1/100mL	Yellow	YSPS01-1	300 PCS/Box, 6 Boxes/Case	60	37	40	10.85
2mL	300 PCS/Box	1/50mL	Green	YSPS02-1	300 PCS/Box, 6 Boxes/Case	60	37	40	13.35
5mL	200 PCS/Box	1/10mL	Blue	YSPS05-1	200 PCS/Box, 6 Boxes/Case	60	42	39	14.8
10mL	200 PCS/Box	1/10mL	Orange	YSPS10-1	200 PCS/Box, 6 Boxes/Case	60	42	39	16.55
25mL	100 PCS/Box	2/10mL	Red	YSPS25-1	100 PCS/Box, 6 Boxes/Case	60	42	39	12.8
50mL	75 PCS/Box	5/10mL	Purple	YSPS50-1	75 PCS/Box, 6 Boxes/Case	60	42	39	12.4

Pasteur Pipettes

- Made of High quality HDPE
- Individual packaging available
- DNase and RNase free, endotoxin free, No human DNA.

Individual Packaging available!

PT60001




PT60003



PT60033





ORDER INFORMATION

Max Graduation	Length	Material	Packaging	Cat.#	Quantity per Case	Size / Case (CM)			Weight / Case(Kg)
						L	W	H	
1mL	159mm	LDPE	Individual	PT60001	2000PCS/Case (500 PCS/Box, 4 Boxes/Case)	49	41.5	35	4.9
1mL	159mm	LDPE	bulk	PT00001	5000PCS/Case (500 PCS/Bag, 10 Bags/Case)	60	42	39	8.4
3mL	162mm	LDPE	Individual	PT60003	2000PCS/Case (500 PCS/Box, 4 Boxes/Case)	49	41.5	35	5.2
3mL	162mm	LDPE	bulk	PT00003	5000PCS/Case (500 PCS/Bag, 10 Bags/Case)	60	42	39	8.4
3mL	160mm	LDPE	Individual	PT60033	2000PCS/Case (500 PCS/Box, 4 Boxes/Case)	49	41.5	35	5.2
3mL	160mm	LDPE	bulk	PT00033	5000PCS/Case (500 PCS/Bag, 10 Bags/Case)	60	42	39	8.45

Screw Cap Micro Tubes

High Cap

- The lid includes an integrated O-ring to improve sealing performance.
- Available in a range of cap colours.
- Free from RNase and DNase.

WG60008-T



0.5mL

WG60012-T



1.5mL

WG60016-T



2.0mL



amber color
tubes are available

WG60098-T



0.5mL

WG60912-T



1.5mL

WG60916-T



2.0mL



amber color
tubes are available

Screw Cap Micro Tubes

High Cap

ORDER INFORMATION

Size	Sterilie	Cap	Packaging	Cat.#	Quantity per Case	Size / Case (CM)			Weight / Case(Kg)
						L	W	H	
0.5mL	Yes	Seperate cap, screwed on the tube	50 PCS/Bag	WG60008-T	20 Bags	31	28	20	2.3
0.5mL	No	Seperate cap, not screwed on the tube	500 PCS/Bag	WG00008-T	10 Bags	54	31	31	9.3
0.5mL, Amber tube with Amber cap	Yes	Seperate cap, screwed on the tube	50 PCS/Bag	WG60008AM-T	20 Bags	31	28	20	2.3
0.5mL, Amber tube with Amber cap	No	Seperate cap, not screwed on the tube	500 PCS/Bag	WG00008AM-T	10 Bags	54	31	31	9.3
0.5mL	Yes	Attached cap, screwed on the tube	50 PCS/Bag	WG60098-T	20 Bags	31	28	20	2.3
0.5mL	No	Attached cap,not screwed on the tube	500 PCS/Bag	WG00098-T	10 Bags	54	31	31	9.3
0.5mL, Amber tube with Amber cap	Yes	Attached cap, screwed on the tube	50 PCS/Bag	WG60098AM-T	20 Bags	31	28	20	2.3
0.5mL, Amber tube with Amber cap	No	Attached cap, not screwed on the tube	500 PCS/Bag	WG00098AM-T	10 Bags	54	31	31	10.1
1.5mL	Yes	Seperate cap, screwed on the tube	50 PCS/Bag	WG60012-T	20 Bags	31	28	20	2.3
1.5mL	No	Seperate cap, not screwed on the tube	500 PCS/Bag	WG00012-T	10 Bags	54	31	31	10
1.5mL, Amber tube with Amber cap	Yes	Seperate cap, screwed on the tube	50 PCS/Bag	WG60012AM-T	20 Bags	31	28	20	2.4
1.5mL, Amber tube with Amber cap	No	Seperate cap, not screwed on the tube	500 PCS/Bag	WG00012AM-T	10 Bags	54	31	31	9.8
1.5mL	Yes	Attached cap, screwed on the tube	50 PCS/Bag	WG60912-T	20 Bags	31	28	20	2.45
1.5mL	No	Attached cap, not screwed on the tube	500 PCS/Bag	WG00912-T	10 Bags	54	31	31	10.1
1.5mL, Amber tube with Amber cap	Yes	Attached cap, screwed on the tube	50 PCS/Bag	WG60912AM-T	20 Bags	31	28	20	2.4
1.5mL, Amber tube with Amber cap	No	Attached cap, not screwed on the tube	500 PCS/Bag	WG00912AM-T	10 Bags	54	31	31	9.8
2.0mL	Yes	Seperate cap, screwed on the tube	50 PCS/Bag	WG60016-T	20 Bags	31	28	20	2.3
2.0mL	No	Seperate cap, not screwed on the tube	500 PCS/Bag	WG00016-T	10 Bags	54	31	31	9.8
2.0mL, Amber tube with Amber cap	Yes	Seperate cap, screwed on the tube	50 PCS/Bag	WG60016AM-T	20 Bags	31	28	20	2.4
2.0mL, Amber tube with Amber cap	No	Seperate cap, not screwed on the tube	500 PCS/Bag	WG00016AM-T	10 Bags	54	31	31	9.8
2.0mL	Yes	Attached cap, screwed on the tube	50 PCS/Bag	WG60916-T	20 Bags	31	28	20	2.3
2.0mL	No	Attached cap, not screwed on the tube	500 PCS/Bag	WG00916-T	10 Bags	54	31	31	9.8
2.0mL, Amber tube with Amber cap	Yes	Attached cap, screwed on the tube	50 PCS/Bag	WG60916AM-T	20 Bags	31	28	20	2.4
2.0mL, Amber tube with Amber cap	No	Attached cap, not screwed on the tube	500 PCS/Bag	WG00916AM-T	10 Bags	54	31	31	9.8



Please kindly note: Caps still other colors available, YE = yellow, BL=blue, PK = pink, PU = purple, AM = amber, please add color code after the catalog number, for example, YE for yellow, when followed color code, it's WG00007YE"

Screw Cap Micro Tubes

High Cap



ORDER INFORMATION

Type	Sterilie	Cap	Packaging	Cat.#	Quantity per Case	Size / Case (CM)			Weight / Case(Kg)
						L	W	H	
0.5mL, separate cap	Yes	Seperate cap, screwed on the tube	50 PCS/Bag	WG60007	20 Bags	31	28	20	1.90
0.5mL, separate cap	No	Seperate cap, not screwed on the tube	500 PCS/Bag	WG00007	10 Bags	54	31	31	7.00
0.5mL, self-standing	Yes	Seperate cap, screwed on the tube	50 PCS/Bag	WG60008	20 Bags	31	28	20	2.65
0.5mL, self-standing	No	Seperate cap, not screwed on the tube	500 PCS/Bag	WG00008	10 Bags	54	31	31	10.60
1.5mL, separate cap	Yes	Seperate cap, screwed on the tube	50 PCS/Bag	WG60010	20 Bags	31	28	20	1.95
1.5mL, separate cap	No	Seperate cap, not screwed on the tube	500 PCS/Bag	WG00010	10 Bags	54	31	31	8.60
1.5mL, self-standing	Yes	Seperate cap, screwed on the tube	50 PCS/Bag	WG60012	20 Bags	31	28	20	2.65
1.5mL, self-standing	No	Seperate cap, not screwed on the tube	500 PCS/Bag	WG00012	10 Bags	54	31	31	11.00
2.0mL, separate cap	Yes	Seperate cap, screwed on the tube	50 PCS/Bag	WG60014	20 Bags	31	28	20	2.55
2.0mL, separate cap	No	Seperate cap, not screwed on the tube	500 PCS/Bag	WG00014	10 Bags	54	31	31	10.50
2.0mL, self-standing	Yes	Seperate cap, screwed on the tube	50 PCS/Bag	WG60016	20 Bags	31	28	20	2.65
2.0mL, self-standing	No	Seperate cap, not screwed on the tube	500 PCS/Bag	WG00016	10 Bags	54	31	31	11.00

Please kindly note: Caps still other colors available, YE = yellow, BL=blue, PK = pink, PU = purple, AM = amber, please add color code after the catalog number, for example, YE for yellow, when followed color code, it's WG00007YE"

Screw Cap Micro Tubes

Short Cap



WG60005

0.5mL



WG60020

2.0mL

ORDER INFORMATION

Size	Sterilie	Cap	Packaging	Cat.#	Quantity per Case	Size / Case (CM)			Weight / Case(Kg)
						L	W	H	
0.5mL, self-standing	Yes	Seperate cap, screwed on the tube	50 PCS/Bag	WG60005	20 Bags	31	28	20	2.15
2.0mL, self-standing	Yes	Seperate cap, screwed on the tube	50 PCS/Bag	WG60020	20 Bags	31	28	20	2.25

Please kindly note

Caps still other colors available, YE = yellow, BL=blue, PK = pink, PU = purple, AM = amber, please add color code after the catalog number, for example, YE for yellow, when followed color code, it's WG00007YE"



Cryo Tubes

Colorful Cap Inserts Are Available

- Caps with silicon seal-ring ensure a positive leak proof seal.
- 2 types available: self-standing and round bottom.
- PCR purity: DNase, RNase, human DNA, and endoxin free.

External threads

CT1010



1.0mL

CT0019



1.8mL

CT0039



3.6mL

CT0051



4.5mL

CT0021



1.8mL

CT6039



3.6mL

CT0052



4.5mL

Working Temperature from

-196°C~+121°C


With silicone ring equipped.



Cryo Tubes

Working
Temperature from
-196°C~+121°C With silicone ring equipped.

External threads



External threads-01

Size & type	Cap Type	Maximum Capacity	Packaging	Cat.#	Quantity per Case	Size / Case (CM) L	W	H	Weight / Case(kg)
1.0mL, self-standing, conical bottom	External threads	1.8mL	50 PCS/Bag	CT1010	20 Bags (50 PCS/Bag, 20 Bags/Case)	31	28	20	2.80
1.8mL, self-standing, round bottom	External threads	2.5mL	50 PCS/Bag	CT0019	20 Bags (50 PCS/Bag, 20 Bags/Case)	31	28	20	3.30
1.8mL, round bottom	External threads	2.5mL	50 PCS/Bag	CT0021	20 Bags (50 PCS/Bag, 20 Bags/Case)	31	28	20	3.05
3.6mL, self-standing, round bottom	External threads	4.5mL	50 PCS/Bag	CT0039	20 Bags (50 PCS/Bag, 20 Bags/Case)	37	25	28	4.20
3.6mL, round bottom	External threads	4.5mL	50 PCS/Bag	CT6039	20 Bags (50 PCS/Bag, 20 Bags/Case)	37	25	28	4.10
4.5mL, round bottom	External threads	5.5mL	50 PCS/Bag	CT0051	20 Bags (50 PCS/Bag, 20 Bags/Case)	37	25	28	4.00
4.5mL, self-standing, round bottom	External threads	5.0mL	50 PCS/Bag	CT0052	20 Bags (50 PCS/Bag, 20 Bags/Case)	37	25	28	4.15


External threads-02

Size & type	Cap Type	Maximum Capacity	Packaging	Cat.#	Quantity per Case	Size / Case (CM) L	W	H	Weight / Case(kg)
1.0mL, self-standing, round bottom	External threads	1.8mL	50 PCS/Bag	CT0010	20 Bags (50 PCS/Bag, 20 Bags/Case)	35	25	20	2.00
1.8mL, self-standing, conical bottom	External threads	2.5mL	50 PCS/Bag	CT0018	20 Bags (50 PCS/Bag, 20 Bags/Case)	35	25	20	2.50
2.8mL, self-standing, round bottom	External threads	3.5mL	50 PCS/Bag	CT0028	20 Bags (50 PCS/Bag, 20 Bags/Case)	35	25	20	2.80
3.6mL, self-standing, round bottom	External threads	4.5mL	50 PCS/Bag	CT0036	20 Bags (50 PCS/Bag, 20 Bags/Case)	44	25	22	4.00
4.5mL, self-standing, round bottom	External threads	5.5mL	50 PCS/Bag	CT0050	20 Bags (50 PCS/Bag, 20 Bags/Case)	44	25	22	4.35

Cryo Tubes

- Caps with silicon seal-ring ensure a positive leak proof seal.
- 2 types available: self-standing and round bottom.
- PCR purity: DNase, RNase, human DNA, and endoxin free.

Internal threads



Working
Temperature from
-196°C~+121°C
With silicone ring equipped.



Cryo Tubes

Working
Temperature from
-196°C~+121°C With silicone ring equipped.

Internal threads



Internal threads-01

Size & type	Cap Type	Maximum Capacity	Packaging	Cat.#	Quantity per Case	Size / Case (CM)			Weight / Case(Kg)
						L	W	H	
1.0mL, self-standing, conical bottom	Internal threads	1.5mL	50 PCS/Bag	CT1012	20 Bags (50 PCS/Bag, 20 Bags/Case)	31	28	20	3.00
1.8mL, round bottom	Internal threads	2.2mL	50 PCS/Bag	CT0026	20 Bags (50 PCS/Bag, 20 Bags/Case)	31	28	20	2.70
1.8mL, self-standing, round bottom	Internal threads	2.2mL	50 PCS/Bag	CT0022	20 Bags (50 PCS/Bag, 20 Bags/Case)	31	28	20	2.75
4.5mL, round bottom	Internal threads	5.5mL	50 PCS/Bag	CT0056	20 Bags (50 PCS/Bag, 20 Bags/Case)	37	25	28	4.00
4.5mL, self-standing, round bottom	Internal threads	5.5mL	50 PCS/Bag	CT0057	20 Bags (50 PCS/Bag, 20 Bags/Case)	37	25	28	4.10

Internal threads-02

Size & type	Cap Type	Maximum Capacity	Packaging	Cat.#	Quantity per Case	Size / Case (CM)			Weight / Case(Kg)
						L	W	H	
1.0mL, self-standing, round bottom	Internal threads	1.3mL	50 PCS/Bag	CT0012	20 Bags (50 PCS/Bag, 20 Bags/Case)	35	25	20	2.70
1.8mL, self-standing, round bottom	Internal threads	2.2mL	50 PCS/Bag	CT0020	20 Bags (50 PCS/Bag, 20 Bags/Case)	35	25	20	2.70
2.8mL, self-standing, round bottom	Internal threads	3.0mL	50 PCS/Bag	CT0030	20 Bags (50 PCS/Bag, 20 Bags/Case)	35	25	20	3.00
3.6mL, self-standing, round bottom	Internal threads	4.0mL	50 PCS/Bag	CT0038	20 Bags (50 PCS/Bag, 20 Bags/Case)	44	25	22	4.10
5.0mL, self-standing, round bottom	Internal threads	5.5mL	50 PCS/Bag	CT0055	20 Bags (50 PCS/Bag, 20 Bags/Case)	44	25	22	4.35


Please kindly note: The colored cap-inserts are also available, please add color code PU, YE, BL and etc. For CT0020 if with yellow cap-insert, it's CT0020YE. If purchase cap-inserts individually, please use Catalog number CT0000, if Yellow one, then CT0000YE.

Cryo Boxes

- Made of polycarbonate
- Working temperature could be down to -196°C.

CSR2025

Length, width:76.0mm, Height: 53.0mm, minimum hole diameter: 12.8mm




CSR8150

Length, width: 132.0mm, Height: 70.0mm, minimum hole diameter: 17mm



CSR81

Length, width:133.0mm, Height: 51.7mm, minimum hole diameter: 12.7mm



CSR0120

Length, width:132.4mm, Height: 52.8mm, minimum hole diameter: 13.4mm




CSR1030

Length, width:133.0mm, Height: 66.5mm, minimum hole diameter: 12.7mm



CSR1040

Length, width:133.0mm, Height: 78.0mm, minimum hole diameter: 12.7mm




CSR1050

Length, width:133.0mm, Height: 95.0mm, minimum hole diameter: 12.7mm



CSR100

Length, width:133.0mm, Height: 52.3mm, minimum hole diameter: 12.7mm



CSR0220

Length, width:132.4mm, Height: 52.8mm, minimum hole diameter: 13mm



Please kindly note: Product CAT# CSR8150 is designed for use with 5.0 mL microcentrifuge tubes (CAT# MCTB050), and not with 5 mL cryogenic vials.

ORDER INFORMATION

Size	Matrerial	Number of Wells	Packaging	Cat.#	Quantity per Case	Size / Case (CM)			Weight / Case(Kg)
						L	W	H	
1.50mL / 2.0mL	PC	25	Individual	CSR2025	100 PCS/Case	48	31	24	6.7
5.0mL	PC	25	Individual	CSR8150	50 PCS/Case	66	35	28	12.4
1.50mL / 2.0mL	PC	81	Individual	CSR81	50 PCS/Case	66.5	29.5	29	9.35
1.5/1.8/2.0 mL	PC	81	Individual	CSR0120	50 PCS/Case	48.5	27.5	39.5	9.4
3.0mL	PC	81	Individual	CSR1030	50 PCS/Case	66.5	29.5	36	10.6
4.0mL	PC	81	Individual	CSR1040	50 PCS/Case	82	22	45.5	11.6
5.0mL	PC	81	Individual	CSR1050	50 PCS/Case	54	32	58	13
1.50mL / 2.0mL	PC	100	Individual	CSR100	50 PCS/Case	66.5	29.5	29	10.9
1.5/1.8/2.0 mL	PC	100	Individual	CSR0220	50 PCS/Case	48.5	27.5	39.5	9.4

Spin Columns

All spin columns produced in class 100,000 clean room, DNase and RNase free, endotoxin free, no hum an DNA.







ORDER INFORMATION

Material of filter	Levels	Color of ring	Packaging	Cat.#	Quantity per Case	Size / Case (CM)			Weight / Case(Kg)
						L	W	H	
Silicon	4	None	100 PCS/Bag	CS40004	10 Bags (100 PCS/Bag, 10 Bags/Case)	31	28	20	2.35
Silicon	6	None	100 PCS/Bag	CS60006	10 Bags (100 PCS/Bag, 10 Bags/Case)	31	28	20	2.35
Silicon	8	None	100 PCS/Bag	CS80008	10 Bags (100 PCS/Bag, 10 Bags/Case)	31	28	20	2.35

Please kindly note Catalog number contain spin columns and collection tubes together.

Liquid Handling Workstation

· Liquid Handling Workstation is a better solution for high-throughput manual pipetting with two ranges of 0.5~20 μL (M20) and 5~200 μL (M200), which have been applied in many fields, such as template copying, transferring between 96-well plates and 384-well plates, orifice cleaning, dilution and ELISA / EIA.

reduce pipetting steps effectively

>Less than 6 seconds to complete one time of 96-well plate pipetting by hand.

>Only 4 steps for 384-well plate with 2 times within 1 minute.

Increase your data accuracy

>Start or stop the enzymatic reaction or cell experiments at the same time

>Eliminates the difference between well to well.


>Improves the reproducibility from well to well and from plate to plate

>Never skips or repeats pipetting.

Easy and safe to use

>Provide a ultra-fast pipetting with no programming, no plug-in and no training.







ORDER INFORMATION

Product Name	Volume Range	Structure	Packaging	Cat.#	Size / Case (CM)			Weight / Case(Kg)	MOQ
					L	W	H		
Liquid Handling Workstation	0.5-20μL	Desktop	1 PC / Case	M20	63	50	70	30.10	1 PC
	5-200μL	Desktop	1 PC / Case	M200	63	50	70	30.10	1 PC

Please kindly note The weight is for reference only. Due to reinforced packaging for transport, please contact us to confirm the exact weight of the M20/M200 machines.

Dry Bath Incubator

・The GMB-1520 digital dry bath heaters are outstanding products with broad temperature range and accurate control, which also have a patent in preventing from scald.

・The digital panel of our products is easy and quick to operate, which gives life science researchers the convenience and the efficiency they need when working with precious samples.



Have a patent in anti-scald

>When the block temperature reach to 150°C, the temperature of the panel and the body are below 50°C.

Wide temperature range

>Temperature can reach to 150°C

Rapid heating time

>Finish heating within 15min

3 steps of programs preset

>Preset programs can be changed and combined as you like.

Digital touchable keyboard & Full screen



ORDER INFORMATION

Product Name	Capacity Size	Structure	Packaging	Cat.#	Size / Case (CM)			Weight / Case(Kg)	MOQ
					L	W	H		
Dual Block Dry Bath Incubator	0.2/1.5/2.0/5.0mL tube	Desktop	1 PC / Case	GMB-1520	33	27	18	5.40	1 PC

Mini Microcentrifuge

・Genfollower Mini-Centrifuges are flexible and cost effective, allowing any workstation to be equipp ed with a "personal" mini centrifuge. Humanized preset timing function design enables the instrument to carry out one-click timing. The instruments are equipped with mixed rotor and a variety of tube sleeves, available for 2.0ml, 1.5ml, 0.5ml and 0.2ml centrifuge tubes.





Speed maximum up to 10,000 rpm

> Adjusted speed maximum up to 10,000 rpm, freely switchable to meet different experimental requirements

Humanized time preset

>3 sets of common time preset : 3s, 10s, 30s

Safe to use

> When over 6,000 rpm, the lid will be in a buffer before fully open, waiting for the high-speed rotating rotor to slow down for safety
> Electromagnetic switch: Close the lid to start and open to stop

Designed with the composite rotor

>Suitable for 6x0.5/1.5/2.0ml centrifuge tubes and 2x8x0.2ml PCR tube strips

Compact and lightweight



ORDER INFORMATION

Product Name	Rotor	Structure	Packaging	Cat.#	Size / Case (CM)			Weight / Case(Kg)	MOQ
					L	W	H		
Mini Microcentrifuge	6×0.5/1.5/2.0mL tube,2x8x0.2mL PCR strip	Portable	1 PC / Case	GSC-10K	32	26	24	2.30	1 PC

Microplate Centrifuge

· C-MP2 is an instantaneous centrifuge specially designed for microplates, which is convenient to quickly spins down droplets. Equipped with a dual-position vertical rotor, it accepts a wide variety of PCR plates, including 96-well plates, 384-well plates, skirted plates and non skirted plates.

A variety of PCR plates available

>Accept skirted, non-skirted and all standard PCR plates

Quickly spin down droplets in PCR plates

>Set hot key "Short" for quick and convenient spinning

Adjustable speed

>Maximum speed can reach 3000rpm

Touchable screen displayed

>LED screen and touchable







ORDER INFORMATION

Product Name	Rotor	Structure	Packaging	Cat.#	Size / Case (CM)			Weight / Case(Kg)	MOQ
					L	W	H		
Microplate Centrifuge	2 PCR plates	Desktop	1 PC / Case	C-MP2	33	30	30	5.10	1 PC

Mini Vortex Mixer

· Mini vortex mixer is an ideal vortex mixer with its tiny size and easy-to-use, and it is designed for oscillating and blending of various reagents, solutions, chemicals and other samples. Simply push the tube into the soft attachment to start shaking. It is used for mixing samples in small containers (maximum 50mL centrifuge tube) and has the function of inching.



Simple operation

>Push the tube into the soft attachment to start shaking, and stops when tube lifted.

Small size, compact and lightweight

>One hand can hold the device

Two modes are available for choosing

>Pulsing mode for short time mixing sample (inching)
>Continuous mode (long time continuous operation)

A variety of containers available

>Maximum 50ml centrifuge tube

Adjustable speed

>Maximum speed can reach 4500rpm

Portable

>Support car cigarette lighter to convert power supply



ORDER INFORMATION

Product Name	Capacity Size	Structure	Packaging	Cat.#	Size / Case (CM)			Weight / Case(Kg)	MOQ
					L	W	H		
Mini Vortex Mixer	maximum 50mL tube	Portable	1 PC / Case	MI-42D	17	17	21	1.20	1 PC
Mini Vortex Mixer	maximum 50mL tube	Portable	1 PC / Case	MI-45	17	17	21	1.20	1 PC

Multi-tube Vortex Mixer

· MM-5015 multi-tube vortex mixer is used to prepare samples by mixing tubes just prior to testing with compact and simple in appearance. It can maximum mix 50 samples at the same time. Variety of accessories are also available to be selected to meet the mixing needs with different specifications of test tu bes. Built-in continuous mode and pulse mode enable the instruments suitable for biotechnology, microbiology and medical analysis.

Built-in timing function

>Able to be set mixing time within 00:00~99:59h
>The display window shows the remnant time to do timing

Two modes are available for choosing

>Pulse mode
>Continuous mode

Make the experiment more efficient

>Maximum 50 samples mixing at the same time


Adjustable speed

>Ranging from 500 rpm – 2500 rpm

Different types of foam tube racks and pads to replace

>Support a variety of consumables







ORDER INFORMATION

Product Name	Capacity Size	Structure	Packaging	Cat.#	Size / Case (CM)			Weight / Case(Kg)	MOQ
					L	W	H		
Multi-tube Vortex Mixer	Different Foams Available	Desktop	1 PC / Case	MM-5015	57	29	48	15.50	1 PC

Vertical Rotating Mixer

· MM-V5016 Vertical Rotating Mixer provides efficient but gentle mixing to keep the sample in suspens ion status. With its adjustable speed, the rotating mixer is widely used in blood mixing, preventing blood clots, latex diagnosis, immunoprecipitation and similar applications. Equipped with a large-size color LCD screen and adopted full touch operation mode, the instrument can quickly input time, speed and other parameters, which meets the researchers' needs for modernization of bench-top instruments.

Large size screen to display

>Color LCD screen and adopt full touch operation mode

Optional different tube holder frames available

>Including but not limited to 16 x 50 mL and 16 x 15 mL centrifuge tubes


Smooth and steady operation

>360° vertical circulation rotation

Intelligent and efficient

>Controlled by microprocessor and allow 5 programs to run in sequence







ORDER INFORMATION

Product Name	Capacity Size	Structure	Packaging	Cat.#	Size / Case (CM)			Weight / Case(Kg)	MOQ
					L	W	H		
Vertical Rotating Mixer	15mL and 50mL tube	Desktop	1 PC / Case	MM-V5016	60	26	24	5.10	1 PC

Mobile Thermostatic Boxes

· The patented MOBOX is a full temperature thermostat with optional lithium ion battery. The temperature control stability is ±0.1℃, and the control range is 0-70℃. It has excellent performance in the application of constant temperature reaction, sample transferring, anatomy and incubation, and is loved by the majority of scientific research workers.

Temperature stability ±0.1℃

Temperature control accuracy ±0.3℃

Multifunction in wide application

>Ice box, sample incubation platform, dissection table and heating reactor

Optional lithium-ion battery

>Work last for 4-5 hours at constant temperature 25℃;
>Work last for 1-2 hours in large temperature difference between the sample and the outside

Mobile

>Easy to carry for sample transferring when you go out

Support on-board power supply

>No worries if the battery runs out



ORDER INFORMATION

Product Name	Modules	Structure	Packaging	Cat.#	Size / Case (CM)			Weight / Case(Kg)	MOQ
					L	W	H		
Mobile Thermostatic Box	Free combination	Portable	1 PC / Case	DC-MO1	32	30	30	5.50	1 PC

Blu-ray Gel Cutting Apparatus

· UV-C108 is a lightweight replacement of the traditional UV transmission instrument, applied in clearly observing and cutting the nucleic acid in the dyeing gel. The machine adopts world-class LED blue light source with long life, and creatively adds adjustable light intensity function to ensure the moderate brightness of the strip to the maximum extent, helping to protect your eyes and take a clear picture of the experimental results.




>Blue light protects users from exposure to uv damage but no damage for DNA fragments.


>The selected optical grade shortwave cut-off filter can filter blue light efficiently, making the background of the gel picture clean and easy to observe

>Selected wear-resistant and scratch-resistant bottom plate

>The brightness can be adjusted by the brightness adjustment knob



>Exquisite and Compact Design and easy to carry



ORDER INFORMATION

Product Name	Maximum gel size	Structure	Packaging	Cat.#	Size / Case (CM)			Weight / Case(Kg)	MOQ
					L	W	H		
Blu-ray Gel Cutting Apparatus	100mm x 150mm	Desktop	1 PC / Case	UV-C108	34	28	11	1.80	1 PC

Semi Automated Plate Heat Sealer

The semi-automated plate heat sealer plays a key role in preserving this integrity by securely heat-sealing dedicated heat-sealing films over various microplates—including PCR plates, deep-well plates, ELISA plates, and cell culture plates.

Superior Anti-Scald Safety

> Body surface remains below 50°C even when the sealer heats to 200°C.

Fast & Uniform Heating

> Reaches 200°C in under 5 minutes with precise temperature control (±1°C).

Intelligent Touchscreen Operation

> 4.3-inch color touchscreen with programmable settings and automatic sealing counter.

Wide Compatibility

> Adjustable pressure and temperature fit various plates and films for both heat and cold sealing.

Smart Energy Saving

> Auto enters standby and deep sleep modes to conserve power.

Automatic Sealing Counter

> Built-in system automatically tracks and records the total number of seals performed.



ORDER INFORMATION

Product Name	Max Temperature	Packaging	Cat.#	Size/Case(CM) L	M	H	Weight/ Case(Kg)	MOQ
Semi Automated Plate Heat Sealer	200°C	1 PC / Case	HS-001	49.5	31	42	15.20	1PC